



acquabella

KEEP FEELING



EN

acquabella.com



Iconography



AKRON material



Maximum and minimum thickness



Trap included
(Kos / Alma)



Halo Akron cover included



Flow Akron cover included



Focus Akron grid included



Metal ring included
(Focus)



Dolotek material



Bespoke cut



Base/Arq Stainless grid included



Kos Akron cover included



Tempo Akron cover included



Integrated overflow



Adjustable legs included



Optional



Matt finish



Solid Surface material



Trap included
(Base / Arq / Unic / Areia / Natur / Smart / Focus)



Base/Arq Akron grid included
(3 models available)



Alma Akron grid included



Areia Akron cover included



Chrome overflow included



Easy access



UNE-EN 16165:2022 Annex A
* Beton / Slate / Slate Evo / Arabba / Wave / Zero



Trap included
(Halo / Tempo / Flow)



Unic Akron grid included
(3 models available)



Smart Akron grid included



Natur Akron grid included



Trap included
(Opal Quiz / Lech / Voss / Chrea / Levi / Vars / Round / Volda)



Lightweight material




Included



Glossy finish

Content

Company	4-11
Materials	12-17
Textures	18-19
Colours	20-23
Shower trays	24-159
Bathtubs	160-187
Wallpanels	188-205
Worktops	206-247
Basins	248-269
Totems	270-277
Furniture and accessories	278-299
Technical information	300-320



A hand is shown holding a small, delicate plant with thin stems and tiny flowers. The background is a soft-focus field of similar plants under a bright sky. A large, semi-circular graphic element, resembling a stylized sun or moon, is positioned on the right side of the image, partially overlapping the hand and the field. The overall color palette is warm and natural, with soft greens, yellows, and oranges.

WE BRING
EXPRESSION
LIFE

OUR REASON FOR BEING

ING YOUR
SION TO
FE



SOPHISTICATED

Sophistication is reflected in every design, where modern luxury and elegance come together to form exquisite details and flawless finishes. Our designs are not just beautiful; they empower professionals to create unique and personalised environments elevating each project to a higher level of distinction.

SENSORIAL

We design products that transform the bathroom into a space of sensory pleasure. Our designs evoke well-being and enjoyment, combining aesthetics and functionality to offer unique and enjoyable experiences. Every detail is carefully crafted to activate the senses, providing an oasis of comfort and delight in daily life.

CREATORS OF EMOTIONS

Everything we do does not go unnoticed. We play with shapes, colors, materials, and all possible combinations to evoke emotions and trigger memories, earning a place in the minds of others. We capture, transmit, and express feelings and ideas through our designs.



COMMITTED TO SUSTAINABLE DEVELOPMENT

Our dedication and effort to improve translates into visible results that make a difference. This philosophy has been recognized with certifications from leading institutions, such as ISO 9001, 14001, and 45001, and the Ecovadis Bronze Medal in 2025.

9001:2015
Quality Management System



14001:2015
Environmental Management System



45001:2018
Occupational health and safety management systems



Bronze Medal



Shower trays - Minimum 74% pre-consumer recycled content



MINIMUM 74% RECYCLED CONTENT
PRE-CONSUMER

Worktops - Minimum 57% pre-consumer recycled content



MINIMUM 57% RECYCLED CONTENT
PRE-CONSUMER



Scan the code if you want to know our ESG actions

What have we achieved so far?

At Acquabella we are fully aware of our responsibility towards the environment and society. Our company recognises the Sustainable Development Goals (SDGs) adopted by the United Nations as our own. That is why we are committed to measuring our environmental impact and implementing actions that contribute to sustainable growth.

Safe products. Silica-free, VOC-free and A+ - certified.



Recycled packaging and FSC-certified wood

Energy-efficient and waterless production process



Optimised transport

100% renewable energy - Guarantee of Origin Certificate



Long life cycle

EcoVadis 2025 - Bronze Medal



Environmental Product Declaration (EPD) for shower trays and worktops

SCS recycled content certification: 74% (shower trays) and 57% (worktops) of pre-consumer recycled content.



FDES Certification

Environmental Sustainability

Caring for the environment and becoming a sustainable company is our next goal. We are committed to measuring and reducing our carbon footprint.

- High standards   Reduce and reuse
- Sustainable products   We care for biodiversity

Social Sustainability

We have a strong and firm commitment to creating and maintaining high-quality. We focus on long-term relationships with our team, the local community and their well-being as the top priority.

- Health and safety   Opportunities
- Local action   Charity

Economic Sustainability

We maintain active management aimed at minimizing all types of risks that may affect the development and future of the company, ensuring the company's continuity.

- Reliability   Transparency
- Services 



Composite in polyurethane base with mineral fillers



Resistant to thermal shock

Antislip Class C
* Beton / Slate / Slate Evo / Arabba / Wave / Zero



Sound insulation
(DIN 4109 / SIA181 / DIN EN ISO 717-2:2020-01)

Antibacterial certificate
(ISO 22196:2011)



Easy to cut

Class 1 in UNE-EN 14527:2016 + A1:2019



High definition textures

Hydrolysis resistant. 0% ortoftal-polyester



Safe cut. Material without silica

Cleanability



Material 25% lighter than similar materials

Chemical resistance



Evaluation of VOCs emissions of interior products
(ISO 16000-6:2006) A+ and evaluation of CMR

Impact resistant



All colours in all textures



Matt finish

Materials

AKRON is a next-gen material composed of polyurethane and high-quality mineral of varying sizes compacted to achieve a solid, strong result. The surface is treated with an acrylic polyurethane coating that fully bonds with the underlying material. Akron's advanced formulation allows us to create products with high-definition textures, in bold shapes and a wide variety of colours for products with extraordinary design and high technical performance. Akron was also developed in an efficient and environmentally friendly way. A before and after in the world of bathrooms.

AKRON PLUS is the innovative evolution of the Akron material that, thanks to cutting-edge technology, combines extreme lightness and high performance in a single piece.



AKRON®



Akron



Composite of polyester resin and dolomite stone



Resistant to thermal shock

High performance coating



Sound insulation

Antibacterial certificate
(ISO 22196:2007)



Durability

Cleanability



Versatility

UV ray-resistant



Safe cut. Material without silica

Resistance to fire



Silky touch

Resistance to chemicals



Evaluation of VOCs emissions of interior products
(ISO 16000-6:2006) A+ and evaluation of CMR



Precision

Materials

Thanks to modern technology, rock formed millions of years ago can be used to make durable, elegant and contemporary products. Dolotek's performance is better than traditional materials, which is why it is often called a 21st century ceramic. Formed from a resin and dolomite stone to give a pure white, soft feeling material.

Dolotek's properties mean that it can be used in functional products of high technical quality which can be moulded into complex shapes to improve our daily lives. The technology used to make Dolotek was developed in an efficient and environmentally friendly way and is unique in the bathroom industry.

[®]
DOLOTEK



Dolotek



Material that is made up of polyester resin and alumina trihydrate (ATH)



Easy maintenance

Silky touch



Non-porous surface

Antibacterial certificate
(ISO 22196:2007)



Durability

Versatility



Silica-free material

Precision




Chemical resistance

Materials

Acquabella's Solid Surface is a material that is made up of polyester resin and alumina trihydrate (ATH), creating a seamless and non-porous product that can be molded into various shapes and designs. The end result is a durable material that is easy to maintain and repair. Through our dedication to research and development, we strive to enhance our products to the highest standard.

SOLID[®]
SURFACE



Solid Surface

Textures



Our collections are designed to create highly defined, sophisticated and elegant textures. With astonishing realism, we have captured textures from nature. Acquabella's textures are also pleasant to the touch and are able to transport us to a universe of sensations for the five senses.

Nude

Slate

Zero


Quiz

Arabba

Beton

Wave

Standard Colours



Naturally Made Colours



NCS Colours

NCSS 2040-R50B

NCSS 3030 -B10G

NCSS 1020-B40G

NCSS 6030-R20B


NCSS 2050-Y30R

NCSS 3020-G30Y

NOTE: NCS examples

Colours

Colour is how we express emotion. Colour allows us to give free rein to our creativity and design inspiring bathroom spaces. We have four colour ranges: Standard, made up of versatile timeless shades; Naturally Made, inspired by the power of nature; Season, new this year, a careful selection of on-trend colours; and finally, the RAL/NCS chart with more than 2,000 colours. With Acquabella, your imagination is the limit.



SEASON Colours


Standard bearers of design and fashion, we have made a special selection of colours to fill your bathroom with colour and freshness. Vibrant tones that, far from being overpowering, convey a sense of calm and sophistication. Season is a range of elegant shades, each in light and dark versions, ideal to create contrast and unique colour schemes. It's time to broaden your horizons with Acquabella's Season colours.





Savanna

Terracota



Forest

Oliva



Shower trays

Index	26-27
Base Slate	28-39
Base Beton	40-47
Base Zero	48-55
Base Nude	56-61
Arq Zero	62-69
Unic Slate	70-77
Halo Slate	78-87
Halo Zero	88-95
Kos Slate	96-103
Alma Slate	104-111
Smart Quiz	112-119
Flow Zero	120-127
Tempo Arabba	128-135
Areia Slate Evo	136-143
Natur Wave	144-151
Focus Beton	152-159

Shower trays

Base



Texture



Arq



Texture



Unic



Texture



Halo



Texture



Kos



Texture



Alma



Texture



Smart



Texture



Flow



Texture



Tempo



Texture



Areia



Texture



Natur



Texture



Focus



Texture




Base

S L A T E

An indispensable bathroom essential, Base is dressed in our elegant Slate texture to fill your space with functionality. The Base Slate shower tray fits perfectly in any bathroom, thanks to its wide variety of formats and optional special dimensions.



Base SLATE




-
-
-
-
-
-
-
-
-

Available colours




See available colours on pages 20 to 23.

Available grids



Standard sizes (cm)











Base Slate



Base Slate blanco 150x90 cm



Base Slate acier 200x100 cm

Base Slate





Base Geo Slate NCS S 7020-R80B 200x100 cm





COMPLEMENTS

Grid

		Texture	Sizes (cm)	Standard	Nat. Made	Season	Ral/NCS
	Mia stainless steel grid	-	12 x 12				
	Mia Akron grid	Slate	12 x 12				
	Geo Akron grid	Slate	12 x 12				
	Lux Akron grid	Slate	12 x 12				


NOTE: Only one model of grid per shower tray is included, to choose between: Mia, Geo or Lux.

Traps (mm)


	Standard trap						
	Vertical trap						
	Extraflat trap						
	High flow trap						

NOTE: Only one model of trap per shower tray is included.

Frame

		Texture	Sizes (cm)	
	Frame	Slate	4,1 x 5	

Drying area

		Texture	Sizes (cm)	
	Drying area	Slate	100 x 100 x 2,3	

Skirt

		Texture	Sizes (cm)	
	Skirt	Slate	60 - 220 x 9 x 1,6	






 Included  Optional

Installation materials

	Basic waterproofing set	Kerdi-TS Schlüter Systems	
	Adhesive glue	Ultrabond MS Rapid	
	Joint sealant	Mapesil AC	




TECHNICAL INFORMATION

Bespoke cut



Sizes

	A (cm)	B (cm)	C (cm)		A (cm)	B (cm)	C (cm)
	90	70/80	25		80	80	40
	100	70/75/80/90	25		90	90	45
	110	80	25		100	100	50
	120	70/75/80/90/100	25		120	120	60
	130	80	25				
	140	70/75/80/90/100	55				
	150	70/80/90/100	55				
	160	70/75/80/90/100/120	55				
	170	70/80/90/100	55				
	180	70/75/80/90/100	55				
	180	80/90/100	90				
	190	70/80/90	55				
	200	70/75/80/90/100/120	55				
	200	80/90/100	100				
	220	70/80/90/100	110				
					90	90	26
					90 Dx	120	27
					90 Sx	120	27

Tests

Texture	Test	Result
SLATE	UNE EN 16165:2022 Annex A	CLASS C
	French normative XP P 05-010	PN 24

Product data sheet



Installation manual



NOTE: The maximum dimensions of Akron products can vary by ±0.5% in length and width.


Base

B E T O N

A made-to-measure Base Beton shower tray can add a touch of freshness to any bathroom thanks to its cement-like finish. Its simplicity makes it perfect to combine with other finishes, while its playful texture will make it the focal point of any bathroom.



Base B E T O N



Available colours




See available colours on pages 20 to 23.

Available grids


Mia inox




Geo



Mia




Lux



Standard sizes (cm)


70 x




80 x



90 x



100 x







Base Beton



Base Mia Beton terracota 200x100 cm






COMPLEMENTS

Grid

		Texture	Sizes (cm)	Standard	Nat. Made	Season	Ral/NCS
	Mia stainless steel grid	-	12 x 12				
	Mia Akron grid	Beton	12 x 12				
	Geo Akron grid	Beton	12 x 12				
	Lux Akron grid	Beton	12 x 12				


NOTE: Only one model of grid per shower tray is included, to choose between: Mia, Geo or Lux.

Traps (mm)


	Standard trap						
	Vertical trap						
	Extraflat trap						
	High flow trap						

NOTE: Only one model of trap per shower tray is included.

Frame

		Texture	Sizes (cm)	
	Frame	Beton	4,1 x 5	

Skirt

		Texture	Sizes (cm)	
	Skirt	Beton	60 - 220 x 9 x 1,6	




Installation materials

	Basic waterproofing set	Kerdi-TS Schlüter Systems	
	Adhesive glue	Ultrabond MS Rapid	
	Joint sealant	Mapesil AC	


TECHNICAL INFORMATION


Bespoke cut





Sizes

	A (cm)	B (cm)	C (cm)
	100	70/80/90	25
	120	70/80/90/100	25
	140	70/80/90/100	55
	160	70/80/90/100	55
	180	70/80/90/100	55
	200	70/80/90/100	55

	A (cm)	B (cm)	C (cm)
	90	90	45
	100	100	50

Tests

Texture	Test	Result
BETON	UNE EN 16165:2022 Annex A	CLASS C
	French normative XP P 05-010	PN 24

Product data sheet

Installation manual



NOTE: The maximum dimensions of Akron products can vary by ±0.5% in length and width.

Base ZERO


A virtually smooth micro-texture forms the Base Zero made-to-measure shower tray, making it a basic component of any modern design. Its minimalist aesthetic gives a versatile and timeless feel, essential for homes and hotels.

Base Zero will give any bathroom with an unmatched sense of space.



Base ZERO

-
-
-
-
-
-
-
-
-
-



Available colours




See available colours on pages 20 to 23.

Available grids



Standard sizes (cm)







Base Zero



Base Lux Zero crema 200x100 cm






COMPLEMENTS

Grid

	Texture	Sizes (cm)	Standard	Nat. Made	Season	Ral/NCS	
	Mia stainless steel grid	-	12 x 12				
	Mia Akron grid	Zero	12 x 12				
	Geo Akron grid	Zero	12 x 12				
	Lux Akron grid	Zero	12 x 12				


NOTE: Only one model of grid per shower tray is included, to choose between: Mia, Geo or Lux.

Traps (mm)


	Standard trap					
	Vertical trap					
	Extraflat trap					
	High flow trap					

NOTE: Only one model of trap per shower tray is included.

Frame

	Texture	Sizes (cm)	
	Frame	Zero	4,1 x 5 

Skirt

	Texture	Sizes (cm)	
	Skirt	Zero	60 - 220 x 9 x 1,6 






Installation materials

	Basic waterproofing set	Kerdi-TS Schlüter Systems	
	Adhesive glue	Ultrabond MS Rapid	
	Joint sealant	Mapesil AC	

TECHNICAL INFORMATION


Bespoke cut








C: 25cm C: 55cm

Sizes

	A (cm)	B (cm)	C (cm)
	100	70/80/90	25
	120	70/80/90/100	25
	140	70/80/90/100	55
	160	70/80/90/100	55
	180	70/80/90/100	55
	200	70/80/90/100	55

	A (cm)	B (cm)	C (cm)
	90	90	45
	100	100	50

Tests

Texture	Test	Result
ZERO	UNE EN 16165:2022 Annex A	CLASS C
	French normative XP P 05-010	PN 24

Product data sheet

Installation manual



NOTE: The maximum dimensions of Akron products can vary by ±0.5% in length and width.

Base

N U D E

Originality is the hallmark of the Base Nude made-to-measure shower tray. The unique high-definition Nude texture perfectly reproduces the look of skin, bringing warmth to the space. A shower tray that, thanks to its characteristic simplicity, puts the finish centre stage to create an innovative, elegant shower tray.



Base

N U D E



Available colours




See available colours on pages 20 to 23.

Available grids

Mia inox



Geo



Mia




Lux




Standard sizes (cm)


80 x



90 x



100 x



Base Nude



Base Geo Nude crema 170x90 cm







COMPLEMENTS

Grid

		Texture	Sizes (cm)	Standard	Nat. Made	Season	Ral/NCS
	Mia stainless steel grid	-	12 x 12				
	Mia Akron grid	Nude	12 x 12				
	Geo Akron grid	Nude	12 x 12				
	Lux Akron grid	Nude	12 x 12				


NOTE: Only one model of grid per shower tray is included, to choose between: Mia, Geo or Lux.

Traps (mm)


	Standard trap						
	Vertical trap						
	Extraflat trap						
	High flow trap						

NOTE: Only one model of trap per shower tray is included.

Frame

		Texture	Sizes (cm)	
	Frame	Nude	4,1 x 5	

Skirt

		Texture	Sizes (cm)	
	Skirt	Nude	60 - 220 x 9 x 1,6	



Included




Optional

Installation materials

	Basic waterproofing set	Kerdi-TS Schlüter Systems	
	Adhesive glue	Ultrabond MS Rapid	
	Joint sealant	Mapesil AC	

TECHNICAL INFORMATION

Bespoke cut





C: 25cm

C: 55cm



Sizes

	A (cm)	B (cm)	C (cm)
	100	80/90	25
	120	80/90/100	25
	140	80/90	55
	150	80/90/100	55
	170	80/90/100	55
	190	80/90	55
	200	80/90/100	55
	100	100	50

Tests

Texture	Test	Result
NUDE	UNE EN 16165:2022 Annex A	CLASS B
	French normative XP P 05-010	PN 18

Product data sheet

Installation manual



NOTE: The maximum dimensions of Akron products can vary by ±0.5% in length and width.

Arq ZERO

The Arq Zero made-to-measure shower tray has a frame, just like a work of art. It fits with the fashions of today while boasting a timeless design, thanks to Acquabella's Zero smooth microtexture. An unbeatable choice when it comes to replacing your bathroom shower tray.



Arq ZERO



Available colours



See available colours on pages 20 to 23.

Available grids

Mia inox




Geo



Mia



Lux



Standard sizes (cm)

70 x

200
180
170
160
150
140
120
100

80 x

200
180
170
160
150
140
120
100

90 x

200
180
160
140
120
100

100 x

200
180
160
140
120
100





Arq Zero



Arq Zero blanco 200x100 cm







COMPLEMENTS

Grid

	Texture	Sizes (cm)	Standard	Nat. Made	Season	Ral/NCS	
	Mia stainless steel grid	-	12 x 12				
	Mia Akron grid	Zero	12 x 12				
	Geo Akron grid	Zero	12 x 12				
	Lux Akron grid	Zero	12 x 12				


NOTE: Only one model of grid per shower tray is included, to choose between: Mia, Geo or Lux.

Traps (mm)

	Standard trap	
	Vertical trap	
	Extraflat trap	
	High flow trap	

NOTE: Only one model of trap per shower tray is included.

Skirt

	Texture	Sizes (cm)	
	Skirt	Zero	60 - 220 x 9 x 1,6 

Installation materials

	Basic waterproofing set	Kerdi-TS Schlüter Systems	
	Adhesive glue	Ultrabond MS Rapid	
	Joint sealant	Mapesil AC	




Included




Optional

TECHNICAL INFORMATION

Sizes



A (cm)	B (cm)	C (cm)
100	70/80/90	25
120	70/80/90/100	25
140	70/80/90/100	25
150	70/80	25
160	70/80/90/100	25
170	70/80	25
180	70/80/90/100	25
200	70/80/90/100	25



A (cm)	B (cm)	C (cm)
100	100	50

Tests

Texture	Test	Result
ZERO	UNE EN 16165:2022 Annex A	CLASS C
	French normative XP P 05-010	PN 24

Product data sheet




Installation manual



Unic

S L A T E

Inspired by the Neo Art Deco movement, Acquabella presents the Unic shower tray. Our original Unic slate typifies this avant-garde decorative style with its geometric shapes and luxurious materials. The Unic shower tray features an elegant, gently sloping arch which frames a modern grid, all in an elegant Slate texture.



Unic SLATE




Available colours



See available colours on pages 20 to 23.

Available grids

Deco



Dune




Drop




Standard sizes (cm)


70 x




80 x



90 x



100 x







Unic Slate



Unic Deco Slate blanco 200x100 cm







COMPLEMENTS

Grid

		Texture	Sizes (cm)	Standard	Nat. Made	Season	Ral/NCS
	Deco Akron grid	Slate	12,1 x 12				
	Dune Akron grid	Slate	12,1 x 12				
	Drop Akron grid	Slate	12,1 x 12				

NOTE: Only one model of grid per shower tray is included, to choose between: Deco, Dune or Drop.

Traps (mm)


	Standard trap						
	Vertical trap						
	Extraflat trap						
	High flow trap						

NOTE: Only one model of trap per shower tray is included.

Drying area

		Texture	Sizes (cm)	
	Drying area	Slate	100 x 100 x 2,3	

Skirt


		Texture	Sizes (cm)	
	Skirt	Slate	60 - 220 x 9 x 1,6	

Installation materials


	Basic waterproofing set		Kerdi-TS Schlüter Systems	
	Adhesive glue		Ultrabond MS Rapid	
	Joint sealant		Mapesil AC	

 Included  Optional

Bespoke cut



Sizes



A (cm)	B (cm)	C (cm)	D (cm)
100	70/80/90	15,1	20
120	70/80/90/100	15,1	20
140	70/80/90/100	15,1	20
160	70/80/90/100	15,1	20
180	70/80/90/100	15,1	20
200	70/80/90/100	15,1	20

Tests

Texture	Test	Result
SLATE	UNE EN 16165:2022 Annex A	CLASS C
	French normative XP P 05-010	PN 24

Product data sheet

Installation manual



Halo

S L A T E

We are enveloped by minimalism with Halo Slate, a shower tray with a framed design. It has a smooth, gently falling frame, which creates a subtle contrast with the definition of the slate. The Halo Slate shower tray is crowned with a rectangular grid integrated into the frame for rapid drainage.





Halo

S L A T E


Available colours




See available colours on pages 20 to 23.

Standard sizes (cm)


70 x




80 x



90 x




100 x












Halo Slate



Halo Slate negro 200x100 cm




COMPLEMENTS


Cover

		Texture	Sizes (cm)	Standard	Nat. Made	Season	Ral/NCS
	Akron cover	Slate	31,2 x 3,5				


Trap (mm)

	Line standard trap						
---	--------------------	--	--	--	--	--	---

Drying area

		Texture	Sizes (cm)	
	Drying area	Slate	100 x 100 x 2,3	

Skirt


		Texture	Sizes (cm)	
	Skirt	Slate	60 - 220 x 9 x 1,6	

Installation materials


	Basic waterproofing set		Kerdi-TS Schlüter Systems	
	Adhesive glue		Ultrabond MS Rapid	
	Joint sealant		Mapesil AC	

 Included  Optional

Bespoke cut



Sizes



A (cm)	B (cm)	C (cm)	D (cm)	E (cm)
100	70/80	4,4	20	4
100	90	4,4	20	5
120	70/80	4,4	20	4
120	90/100	4,4	20	5
140	70/80	4,4	20	4
140	90/100	4,4	20	5
160	70/80	4,4	20	4
160	90/100	4,4	20	5
180	70/80	4,4	20	4
180	90/100	4,4	20	5
200	70/80	4,4	20	4
200	90/100	4,4	20	5

Tests

Texture	Test	Result
SLATE	UNE EN 16165:2022 Annex A	CLASS C
	French normative XP P 05-010	PN 24

Product data sheet

Installation manual



Halo

Z E R O

The Halo Zero shower tray from Acquabella revolutionizes your bathroom with its minimalist and elegant design. With an anti-slip and antibacterial surface, this ultra-flat tray offers maximum safety and elegance. Customizable in size and color, the Halo Zero integrates perfectly into any space, elevating your daily shower experience.





Halo

Z E R O


Available colours




See available colours on pages 20 to 23.

Standard sizes (cm)


70 x




80 x



90 x



100 x







Halo Zero



Halo Zero negro 200x100 cm




Halo Zero savanna 200x100 cm

COMPLEMENTS

Cover

		Texture	Sizes (cm)	Standard	Nat. Made	Season	Ral/NCS
	Akron cover	Zero	31,2 x 3,5				

Trap (mm)

	Line standard trap						
---	--------------------	--	--	--	--	--	---

Skirt


		Texture	Sizes (cm)	
	Skirt	Zero	60 - 220 x 9 x 1,6	

Installation materials


	Basic waterproofing set		Kerdi-TS Schlüter Systems	
	Adhesive glue		Ultrabond MS Rapid	
	Joint sealant		Mapesil AC	

 Included  Optional

Bespoke cut



Sizes



A (cm)	B (cm)	C (cm)	D (cm)	E (cm)
100	70/80	4,4	20	4
100	90	4,4	20	5
120	70/80	4,4	20	4
120	90/100	4,4	20	5
140	70/80	4,4	20	4
140	90/100	4,4	20	5
160	70/80	4,4	20	4
160	90/100	4,4	20	5
180	70/80	4,4	20	4
180	90/100	4,4	20	5
200	70/80	4,4	20	4
200	90/100	4,4	20	5

Tests

Texture	Test	Result
ZERO	UNE EN 16165:2022 Annex A	CLASS C
	French normative XP P 05-010	PN 24

Product data sheet



Installation manual



Kos

S L A T E

Introducing the Kos Slate shower tray, an elegant and modern product featuring a unique side-mounted grid design. The slate texture adds a touch of sophistication to any bathroom, while the various size options make it suitable for any space.





Kos SLATE

Available colours



See available colours on pages 20 to 23.

Standard sizes (cm)


70 x




80 x



90 x



100 x







Kos Slate



Kos Slate crema 200x100 cm




COMPLEMENTS

Cover

		Texture	Sizes (cm)	Standard	Nat. Made	Season	Ral/NCS
	Akron cover	Slate	34,3 x 6				

Trap (mm)

	Block trap						
---	------------	--	--	--	--	--	---


Frame

		Texture	Sizes (cm)	
	Frame	Slate	4,1 x 5	

Drying area

		Texture	Sizes (cm)	
	Drying area	Slate	100 x 100 x 2,3	

Skirt


		Texture	Sizes (cm)	
	Skirt	Slate	60 - 220 x 9 x 1,6	

Installation materials


	Basic waterproofing set		Kerdi-TS Schlüter Systems	
	Adhesive glue		Ultrabond MS Rapid	
	Joint sealant		Mapesil AC	

 Included  Optional

Bespoke cut



Sizes



A (cm)	B (cm)	C (cm)
100	70/80/90/100	6,3
120	70/80/90/100	6,3
140	70/80/90/100	6,3
160	70/80/90/100	6,3
180	70/80/90/100	6,3
200	70/80/90/100	6,3

Tests

Texture	Test	Result
SLATE	UNE EN 16165:2022 Annex A	CLASS C
	French normative XP P 05-010	PN 24

Product data sheet




Installation manual



Alma

S L A T E

The Alma Slate shower tray combines modern style with timeless appeal. Alma Slate retains the charm of a stone effect, while its minimalist grid ensures more efficient water drainage. Customizable in size and color, the Alma Slate transforms your bathroom into a sophisticated and practical space.



Alma

S L A T E



-
-
-
-
-
-
-
-


Available colours



See available colours on pages 20 to 23.

Standard sizes (cm)


70 x




80 x



90 x



100 x








Alma Slate



Alma Slate blanco 200x100 cm




COMPLEMENTS

Grid

		Texture	Sizes (cm)	Standard	Nat. Made	Season	Ral/NCS
	Akron grid	Slate	26 x 6				


Trap (mm)

	Block trap						
---	------------	--	--	--	--	--	---


Frame

		Texture	Sizes (cm)	
	Frame	Slate	4,1 x 5	

Drying area

		Texture	Sizes (cm)	
	Drying area	Slate	100 x 100 x 2,3	

Skirt


		Texture	Sizes (cm)	
	Skirt	Slate	60 - 220 x 9 x 1,6	

Installation materials


	Basic waterproofing set		Kerdi-TS Schlüter Systems	
	Adhesive glue		Ultrabond MS Rapid	
	Joint sealant		Mapesil AC	

 Included  Optional

Bespoke cut



Sizes



A (cm)	B (cm)	C (cm)
100	70/80/90/100	15
120	70/80/90/100	15
140	70/80/90/100	25
160	70/80/90/100	25
180	70/80/90/100	25
200	70/80/90/100	25

Tests

Texture	Test	Result
SLATE	UNE EN 16165:2022 Annex A	CLASS C
	French normative XP P 05-010	PN 24

Product data sheet



Installation manual



NOTE: The maximum dimensions of Akron products can vary by $\pm 0.5\%$ in length and width.


Smart QUIZ

The Smart Quiz shower tray represents the essence of Acquabella: cutting edge, creative and ground-breaking. An innovative design whose most distinctive feature is a geometric puzzle of Beton, Zero and Ethnic textures. Made-to-measure Smart Quiz shower trays have a central grid which is totally integrated into the lines of the shower tray to hide the drain.



Smart

Q U I Z



-
-
-
-
-
-
-


Available colours




See available colours on pages 20 to 23.

Standard sizes (cm)


70 x



80 x



90 x



100 x







Smart Quiz



Smart Quiz blanco 200x100 cm






COMPLEMENTS

Grid

	Texture	Sizes (cm)	Standard	Nat. Made	Season	Ral/NCS	
	Akron Grid	Beton	17,6 x 17,6				

Traps (mm)

	Standard trap					
	Vertical trap					
	Extraflat trap					
	High flow trap					


NOTE: Only one model of trap per shower tray is included.

Installation materials


	Basic waterproofing set	Kerdi-TS Schlüter Systems	
	Adhesive glue	Ultrabond MS Rapid	
	Joint sealant	Mapesil AC	

 Included  Optional

Bespoke cut



Sizes



A (cm)	B (cm)	C (cm)
90	90	45
100	70/80/90/100	50
120	70/80/90/100	60
140	70/80/90/100	70
160	70/80/90/100	80
180	70/80/90/100	90
200	70/80/90/100	100

Tests

Texture	Test	Result
QUIZ	UNE EN 16165:2022 Annex A	CLASS B
	French normative XP P 05-010	PN 18

Product data sheet



Installation manual



Flow

Z E R O

The Flow Zero shower tray is designed to become one with water. Its design immerses us in a universe of calm and relaxation thanks to a refined minimalist style. Its gentle gradients, in keeping with the Zero texture, direct the water towards a grid integrated into the frame, capable of handling the large flow captured by the its surface.



Flow ZERO




Available colours




See available colours on pages 20 to 23.

Standard sizes (cm)


70 x




80 x



90 x



100 x







Flow Zero



Flow Zero nacar 200x100 cm




Flow Zero blanco 180x90 cm

COMPLEMENTS


Cover

		Texture	Sizes (cm)	Standard	Nat. Made	Season	Ral/NCS
	Akron cover	Zero	36,1 x 3				


Trap (mm)

	Line standard trap						
---	--------------------	--	--	--	--	--	---

Frame

		Texture	Sizes (cm)	
	Frame	Zero	4,1 x 5	

Skirt


		Texture	Sizes (cm)	
	Skirt	Zero	60 - 220 x 9 x 1,6	

Installation materials

	Basic waterproofing set		Kerdi-TS Schlüter Systems	
	Adhesive glue		Ultrabond MS Rapid	
	Joint sealant		Mapesil AC	

 Included  Optional

Sizes



	A (cm)	B (cm)	C (cm)
	100	70/80/90	5,6
	120	70/80/90/100	5,6
	140	70/80/90/100	5,6
	160	70/80/90/100	5,6
	180	70/80/90/100	5,6
	200	70/80/90/100	5,6

Tests

Texture	Test	Result
ZERO	UNE EN 16165:2022 Annex A	CLASS C
	French normative XP P 05-010	PN 24

Product data sheet

Installation manual



Tempo

A R A B B A

Tempo Arabba represents a return to our origins, marked by design and craftsmanship. Looking as though made from fabric, it reproduces the appearance of hand-woven natural fibres with the care that Acquabella invests in every product. Its patterning plays with our visual perception, merging with a stone finish. A texture true to our desire to be different.



Tempo

A R A B B A




Available colours




See available colours on pages 20 to 23.

Standard sizes (cm)


70 x




80 x



90 x



100 x







Tempo Arabba



Tempo Arabba cappuccino 200x100 cm




COMPLEMENTS


Cover

		Texture	Sizes (cm)	Standard	Nat. Made	Season	RaI/NCS
	Akron cover	Arabba	34,6 x 2,8				

Trap (mm)

	Line standard trap						
---	--------------------	--	--	--	--	--	---

Skirt


		Texture	Sizes (cm)	
	Skirt	Arabba	60 - 220 x 9 x 1,6	

Installation materials


	Basic waterproofing set		Kerdi-TS Schlüter Systems	
	Adhesive glue		Ultrabond MS Rapid	
	Joint sealant		Mapesil AC	

 Included  Optional

Bespoke cut



Sizes



A (cm)	B (cm)	C (cm)	D (cm)	E (cm)
100	70/80/90	7,4	20	3,2
120	70/80/90/100	7,4	20	3,2
140	70/80/90/100	7,4	20	3,2
160	70/80/90/100	7,4	20	3,2
180	70/80/90/100	7,4	20	3,2
200	70/80/90/100	7,4	20	3,2

Tests

Texture	Test	Result
ARABBA	UNE EN 16165:2022 Annex A	CLASS C
	French normative XP P 05-010	PN 24

Product data sheet



Installation manual



Areia

S L A T E E V O

Inspired by the way the sea wears rock, Acquabella has launched its Areia Slate Evo made-to-measure shower tray. Its simple design takes the shower experience to another level thanks to the Slate Evo texture, a re-imagining of the traditional Slate texture that progressively falls away to the grid.





Areia

SLATE

EVO


Available colours




See available colours on pages 20 to 23.

Standard sizes (cm)


70 x




80 x



90 x



100 x







Areia Slate Evo



Areia Slate Evo crema 200x100 cm • Drying area crema 100x100 cm







COMPLEMENTS

Cover


		Texture	Sizes (cm)	Standard	Nat. Made	Season	Ral/NCS
	Akron cover	Slate Evo	16 x 12,5				

Traps (mm)

	Standard trap						
	Vertical trap						
	Extraflat trap						
	High flow trap						

NOTE: Only one model of trap per shower tray is included.

Drying area

		Texture	Sizes (cm)	
	Drying area	Slate	100 x 100 x 2,3	

Installation materials

	Basic waterproofing set		Kerdi-TS Schlüter Systems	
	Adhesive glue		Ultrabond MS Rapid	
	Joint sealant		Mapesil AC	




Included




Optional

Bespoke cut



Sizes



A (cm)	B (cm)	C (cm)
100	70/80/90	13,1
120	70/80/90/100	13,1
140	70/80/90/100	13,1
160	70/80/90/100	13,1
180	70/80/90/100	13,1
200	70/80/90/100	13,1

Tests

Texture	Test	Result
SLATE EVO	UNE EN 16165:2022 Annex A	CLASS C
	French normative XP P 05-010	PN 24

Product data sheet

Installation manual



Natur


WAVE

Acquabella presents the new Wave texture. Its design was inspired by the dynamic patterns seen in nature. Rings of varying heights embrace and trace an irregular grid, to give our Natur model. The result is a shower tray that exudes design and personality from every side.



reddot winner 2023





Natur

WAVE


Available colours




See available colours on pages 20 to 23.

Standard sizes (cm)


70 x




80 x



90 x



100 x







Natur Wave



Natur Wave crema 200x100 cm







COMPLEMENTS

Grid

	Texture	Sizes (cm)	Standard	Nat. Made	Season	Ral/NCS	
	Akron Grid	Wave	14 x 13,9				

Traps (mm)

	Standard trap					
	Vertical trap					
	Extraflat trap					
	High flow trap					

NOTE: Only one model of trap per shower tray is included.

Installation materials

	Basic waterproofing set	Kerdi-TS Schlüter Systems	
	Adhesive glue	Ultrabond MS Rapid	
	Joint sealant	Mapesil AC	

 Included  Optional

Bespoke cut



Sizes

	A (cm)	B (cm)	C (cm)
	100	70/80/90	25
	120	70/80/90/100	25
	140	70/80/90/100	55
	160	70/80/90/100	55
	180	70/80/90/100	55
	200	70/80/90/100	55

	A (cm)	B (cm)	C (cm)
	90	90	45
	100	100	50

Tests

Texture	Test	Result
WAVE	UNE EN 16165:2022 Annex A	CLASS C
	French normative XP P 05-010	PN 24

Product data sheet



Installation manual



Focus


B E T O N

Fashion is cyclical but geometric shapes are a constant feature of design. Acquabella wants to convey that sense of unity and perfection through its Focus shower tray. It combines Beton's cement-like texture with a ring in the metal finish of your choice for the drain to provide a harmonic mix of materials.



Focus

B E T O N



-
-
-
-
-
-
-
-
-

Available colours




See available colours on pages 20 to 23.

Available grids



Standard sizes (cm)







Focus Beton



Focus blanco Beton NCSS 2050-Y 160x80 cm







Focus negro Beton blanco 200x100 cm • Beton wallpanels blanco 250x100 cm

COMPLEMENTS

Grid

		Texture	Sizes (cm)	Standard	Nat. Made	Season	Ral/NCS
	Akron grid	Beton	Ø 10,6				
	Metal ring	Inox / Copper / Black / White	Ø 12,9				

Traps (mm)


	Standard trap						
	Vertical trap						
	Extraflat trap						
	High flow trap						

NOTE: Only one model of trap per shower tray is included.

Frame

		Texture	Sizes (cm)	
	Frame	Beton	4,1 x 5	

Skirt

		Texture	Sizes (cm)	
	Skirt	Beton	60 - 220 x 9 x 1,6	

Installation materials

	Basic waterproofing set		Kerdi-TS Schlüter Systems	
	Adhesive glue		Ultrabond MS Rapid	
	Joint sealant		Mapesil AC	



Included



Optional

Bespoke cut



Sizes

	A (cm)	B (cm)	C (cm)
	100	80/90	25
	120	80/90/100	25
	140	80/90/100	55
	160	80/90/100	55
	180	80/90/100	55
	200	80/90/100	55

	A (cm)	B (cm)	C (cm)
	100	100	50

Tests

Texture	Test	Result
BETON	UNE EN 16165:2022 Annex A	CLASS C
	French normative XP P 05-010	PN 24

Product data sheet

Installation manual







Bathtubs

Index	162-163
Opal Quiz	164-167
Noon Slate	168-171
Lech	172-173
Nevis	174-175
Voss	176-177
Chrea	178-179
Levi	180-181
Vars	182-183
Round	184-185
Volda	186-187

Bathtubs


Opal



Texture



Noon



Texture



Lech



Finish




Nevis



Finish



Voss



Finish



Chrea



Finish



Levi



Finish




Round



Finish




Vars



Finish



Volda



Finish



Opal Quiz



Opal Quiz negro bathtub


Accessories

Finish



Bathtub headrest

Negro



Bathtub support tray

Blanco, marfil, negro



Texture




quiz



Opal Quiz NCS S 6010-Y90R bathtub

Standard sizes (cm)



Available colours



See available colours on pages 20 to 23.

Awards



reddot winner 2021

Trap (mm)

	Finish	Cover finish	
	HC 26-IOF-95-CB	Chrome	Standard / Nat. Made / Season / RAL/NCS

Installation materials

	Joint sealant	Mapesil AC	
--	---------------	------------	--

Product data sheet

Installation manual



NOTE: the maximum dimensions of Akron products can vary by ±0.5% in length and width.





Noon Slate



Noon Slate bathtub NCS S 2005-Y80R • Hera Zero wallpanels capuccino • Basic Slate wallpanels nacar

Accessories

	Finish		
	Bathtub headrest	Negro	
	Bathtub support tray	Blanco, marfil, negro	


Texture



slate



Standard sizes (cm)



Available colours



See available colours on pages 20 to 23.



Awards



archiproducts
DESIGN AWARDS

Trap (mm)

	Finish	Cover finish	
	HC 26-IOF-95-CB	Chrome	Standard / Nat. Made / Season / RAL/NCS

Installation materials

	Joint sealant	Mapesil AC	
--	---------------	------------	--


Product data sheet

Installation manual



NOTE: the maximum dimensions of Akron products can vary by ±0.5% in length and width.





Lech



Lech bathtub

Accessories

Finish



Bathtub headrest

Negro




Bathtub support tray

Blanco, marfil, negro





Standard sizes (cm)



Trap (mm)

	Finish	Cover finish	
	HC 26 CLCP	Chrome	Blanco mate

Installation materials

	Joint sealant	Mapesil AC	
--	---------------	------------	--

Product data sheet

Installation manual



NOTE: the maximum dimensions of Dolotek products can vary by $\pm 1\%$ in length and width.

Nevis




Nevis Colors bathtub - Art 62 shelf Zero blanco

Accessories

	Finish		
	Bathtub headrest	Negro	
	Bathtub support tray	Blanco, marfil, negro	



Standard sizes (cm)



Bathtubs



Trap (mm)

	Finish	Cover finish	
	HC 26 CLCP	Chrome	Blanco mate

Installation materials

	Joint sealant	Mapesil AC	
--	---------------	------------	--

Product data sheet

Installation manual



NOTE: the maximum dimensions of Dolotek products can vary by $\pm 1\%$ in length and width.




Voss bathtub

Accessories

	Finish		
	Bathtub headrest	Negro	
	Bathtub support tray	Blanco, marfil, negro	



Standard sizes (cm)



Bathtubs



Trap (mm)

	Finish	Cover finish	
	HC 2600 CL	Chrome	Dolotek blanco mate

Installation materials

	Joint sealant	Mapesil AC	
--	---------------	------------	--

Product data sheet

Installation manual



NOTE: the maximum dimensions of Dolotek products can vary by $\pm 1\%$ in length and width.

Chrea




Chrea bathtub • Hera Zero wallpanels NCS S 1020-B90G 100x90 cm

Accessories

	Finish		
	Bathtub headrest	Negro	
	Bathtub support tray	Blanco, marfil, negro	



Standard sizes (cm)



Chrea bathtub • Hera Zero wallpanels NCS S 2050-Y 220x100 cm • Show blanco Slate stool NCS S 5540-R90B

Trap (mm)

	Finish	Cover finish	
	HC 26-IOF-95-CB	Chrome	Dolotek blanco mate

Installation materials

	Joint sealant	Mapesil AC	
--	---------------	------------	--

Product data sheet

Installation manual



NOTE: the maximum dimensions of Dolotek products can vary by ±1% in length and width.



Levi bathtub

Accessories

Finish



Bathtub headrest

Negro




Bathtub support tray

Blanco, marfil, negro





Standard sizes (cm)



Trap (mm)

	Finish	Cover finish	
	HC 26 CLCP	Chrome	Blanco mate

Installation materials

	Joint sealant	Mapesil AC	
--	---------------	------------	--

Product data sheet

Installation manual



NOTE: the maximum dimensions of Dolotek products can vary by $\pm 1\%$ in length and width.

Vars



Vars bathtub

Accessories

Finish



Bathtub headrest

Negro




Bathtub support tray

Blanco, marfil, negro





Standard sizes (cm)



Vars bathtub • Hera Slate wallpanels NCS S 0530-Y80R 100x90 cm • Basic Slate wallpanels NCS S 0530-Y80R 100x70 cm

Trap (mm)

	Finish	Cover finish	
	HC 26-IOF-95-CB	Chrome	Dolotek blanco mate

Installation materials

	Joint sealant	Mapesil AC	
--	---------------	------------	--

Product data sheet

Installation manual



NOTE: the maximum dimensions of Dolotek products can vary by $\pm 1\%$ in length and width.

Round



Round bathtub

Accessories

Finish



Bathtub headrest

Negro




Bathtub support tray

Blanco, marfil, negro





Standard sizes (cm)



Trap (mm)

	Finish	Cover finish	
	A2 (A465)	Chrome	Blanco mate

Installation materials

	Joint sealant	Mapesil AC	
--	---------------	------------	--

Product data sheet

Installation manual



NOTE: the maximum dimensions of Dolotek products can vary by ±1% in length and width.

Volda



Volda bathtub

Accessories

Finish



Bathtub headrest

Negro





Bathtub support tray

Blanco, marfil, negro





Standard sizes (cm)



Trap (mm)

	Finish	Cover finish	
	HC 26-IOF-95-CB	Chrome	Dolotek blanco mate

Installation materials

	Joint sealant	Mapesil AC	
--	---------------	------------	--

Product data sheet

Installation manual



NOTE: the maximum dimensions of Dolotek products can vary by $\pm 1\%$ in length and width.



Wallpanels

Slim 190-193

Basic 194-197

Quiz 198-199

Hera 200-201

Muretto Vintage 202-203

Muretto Loft 204-205





Slim


Advantages

- | | | |
|---|---|--|
| Waterproof resin panels |  |  3 mm thick |
| Resistant to abrasion, scratches, and chemicals |  |  Large formats to cover large areas with a single piece, up to 250x120 cm |
| 50% lighter |  |  Antibacterial treatment to prevent the growth of bacteria |
| Easy to transport and handle |  |  Can be cut on site |
| Suitable for installation in new construction or renovation over existing tiles |  |  Easy to clean, with no visible joints |

Slim



Slim



Slim Slate wallpanels crema 250x120 cm

Textures



slate

zero



Standard sizes (cm)



A	B
200	70/80/90/100/120
250	70/80/90/100/120


Wallpanels

Available colours



See available colours on pages 20 to 23.
Only standard colours, for other colours please consult minimum quantity.

Profiles

		Finish	
	Final profile	Chrome / Black / White	
	Corner profile	Chrome / Black / White	

Installation materials

	Adhesive glue	Ultrabond MS Rapid	
	Joint sealant	Mapesil AC	


Product data sheet

Installation manual



NOTE: the maximum dimensions of Akron products can vary by ±0.5% in length and width.

Basic



Basic Slate wallpanel niebla 250x100 cm

Textures



arabba

slate

beton

nude

zero



Basic Slate wallpanel NCS S 2030-Y4OR 250x100 cm · Mini Slate worktop sand

Standard sizes (cm)



A	B
200	70/80/90/100/120
220	70/80/90/100/120
250	70/80/90/100/120


Available colours



See available colours on pages 20 to 23.

Profiles

Finish

	Final profile	Chrome	
	Corner profile	Chrome	
	Profile between panels	Chrome	

Installation materials

	Adhesive glue	Ultrabond MS Rapid	
	Joint sealant	Mapesil AC	

Product data sheet

Installation manual



NOTE: the maximum dimensions of Akron products can vary by $\pm 0.5\%$ in length and width.






Quiz



Quiz wallpanels blanco 250x120 cm • One CF Beton worktop crema 240x50 cm • On-Top Colors Circle XL basins Beton NCS S 3050-Y80R • Moon mirrors Beton NCS S 3050-Y80R

Installation



Texture



quiz



Quiz wallpanels blanco 250x100 cm • Quiz wallpanels negro 250x100 cm • Smart Quiz blanco 200x100 cm

Standard sizes (cm)

120 x



Wallpanels

Available colours



See available colours on pages 20 to 23.

Profiles

Finish

	Final profile	Chrome	
	Corner profile	Chrome	
	Profile between panels	Chrome	

Installation materials

	Adhesive glue	Ultrabond MS Rapid	
	Joint sealant	Mapesil AC	

Product data sheet

Installation manual



NOTE: the maximum dimensions of Akron products can vary by $\pm 0.5\%$ in length and width.

Hera



Hera Zero wallpanels capuccino 250x100 cm • Halo Slate negro 200x100 cm

Texture




zero




Hera Zero wallpanels NCS S 1020-B90G 240x120 cm

Standard sizes (cm)



Installation



Wallpanels

Available colours



See available colours on pages 20 to 23.

Installation materials

	Adhesive glue	Ultrabond MS Rapid	
	Joint sealant	Mapesil AC	

Product data sheet

Installation manual



NOTE: the maximum dimensions of Alcron products can vary by ±0.5% in length and width.

Muretto Vintage



Muretto Vintage NCS S 3020-G30Y 120x45 cm




Muretto Vintage blanco 240x120 cm

Standard sizes (cm)



120 x



120 x



Installation



Available colours



See available colours on pages 20 to 23.

Installation materials



Adhesive glue

Ultrabond MS Rapid



Joint sealant

Mapesil AC



Product data sheet

Installation manual



NOTE: the maximum dimensions of Alcron products can vary by $\pm 0.5\%$ in length and width.

Muretto Loft



Muretto Loft XL NCS S 4030-Y80R 250x120 cm

Texture




beton




Muretto Loft oliva 250x120 cm

Standard sizes (cm)

120 x



Installation



Available colours



See available colours on pages 20 to 23.

Installation materials

	Adhesive glue	Ultrabond MS Rapid	
	Joint sealant	Mapesil AC	

Product data sheet

Installation manual



NOTE: the maximum dimensions of Akron products can vary by ±0.5% in length and width.





Worktops

Integra	208-215
Mini	216-219
Infinity	220-227
One	228-231
Moiwa	232-235
Tai	236-239
Kivu	240-243
Tana	244-247

CF: Worktop with downstand • CFR: Worktop with short downstand • SF: Worktop with no downstand.
Sx: Basin shifted left • Dx: Basin shifted right.

Integra




Integra CF 120 SX Slate NCS S 3030-Y80R

NOTE: the maximum dimensions of Akron products can vary by $\pm 0.5\%$ in length and width.



Standard sizes (cm)



Available colours



See available colours on pages 20 to 23

Integra 2



Integra 2 CF 140 Slate capuccino • Basic Slate wallpanels blanco 250x100 cm • Urban mirror


NOTE: the maximum dimensions of Akron products can vary by $\pm 0.5\%$ in length and width.



Standard sizes (cm)


Integra-2 120

SF: 120,3 / CF: 120,6



Integra-2 140

SF: 140,3 / CF: 140,6



Available colours



See available colours on pages 20 to 23

Integra 2 SF: tap hole included, centred with respect to the basin.
Integra 2 CF: tap hole included, centred with respect to the basin. Possibility, on request, of not including it.





COMPLEMENTS

Basins

	Sizes (cm)	Integra 60	Integra 80	Integra 90	Integra 100	Integra 120	Integra 120 XL	Integra-2 120	Integra-2 140
	26,7 x 50 x 9								
	26,7 x 104 x 9								


Drains

		Finish	
	Akron clic-clac drain	Chrome / Black	
	Akron free drain	Chrome / Black	

Upstand

		Texture	Sizes (cm)	
	Upstand	Slate	60 - 140 x 3 x 1,6	

Towel rail

		Sizes (cm)	Integra CF
	Front towel rail Show	40 x 4	

Fixing system

		Integra CF	Integra SF
	Fixing system		-

Installation materials

	Adhesive glue	Ultrabond MS Rapid	
	Joint sealant	Mapesil AC	

Product data sheet

Installation manual



Included



Optional



Mini



Mini Slate blanco • Basic Slate wallpanel NCS S 4020-R90B 250x120 cm • Urban mirror

NOTE: the maximum dimensions of Akron products can vary by $\pm 0.5\%$ in length and width.


Texture



slate



Standard sizes (cm)



Available colours



See available colours on pages 20 to 23

NOTE: tap hole included, centred with respect to the basin. Possibility, on request, of not including it.

COMPLEMENTS

Basins

	Sizes (cm)	
	23,4 x 38 x 12,1	

Drains

		Finish	
	Akron clic-clac drain	Chrome / Black	
	Akron free drain	Chrome / Black	

Fixing system

		Finish	
	Fixing system	Shiny stainless / Black	

Installation materials

	Adhesive glue	Ultrabond MS Rapid	
	Joint sealant	Mapesil AC	

Product data sheet

Installation manual



Included



Optional



Infinity



Infinity S2 CF Arabba capuccino 200x50 cm • Tempo Arabba capuccino 200x100 cm • Basic Arabba wallpanels blanco 250x100 cm • Show 80 Arabba furniture crema • Moon Arabba mirror crema

Textures



arabba

slate

beton


nude

zero




Standard sizes (cm)


Infinity 42




Infinity 52



Infinity Round 52



Infinity 62



NOTE: it is necessary to add the worktop design with all the measurements in each order.

Available colours



See available colours on pages 20 to 23

Order form



Infinity 2



Infinity-2 52 CF Arabba crema 200x50 cm • Show 90 Arabba furniture crema • Basic Arabba wallpanels blanco 250x120 cm

Textures



arabba

slate

beton


nude

zero




Standard sizes (cm)


Infinity-2 42




Infinity-2 52



Infinity-2 Round 52



Infinity-2 62



NOTE: it is necessary to add the worktop design with all the measurements in each order.

Available colours



See available colours on pages 20 to 23

Order form







COMPLEMENTS

Basins

		Sizes (cm)	Worktop size	Infinity 42	Infinity 52	Infinity 62
	Basin 42	30 x 42 x 10	Infinity 60 - 240 Infinity-2 120 - 240			
	Basin 52	30 x 52 x 10	Infinity 70 - 240 Infinity-2 140 - 240			
	Basin 52 Round	30 x 52 x 10	Infinity 70 - 240 Infinity-2 140 - 240			
	Basin 62	30 x 62 x 10	Infinity 80 - 240 Infinity-2 160 - 240			

Drains

		Finish	
	Akron clic-clac drain	Chrome / Black	
	Akron free drain	Chrome / Black	

Upstand

		Texture	Sizes (cm)	
	Upstand	Slate	60 - 240 x 3 x 1,6	

Towel rail

		Sizes (cm)	
	Front towel rail Show	40 x 4	
	Right towel rail Show	40 x 4	
	Left towel rail Show	40 x 4	

Fixing system

		Infinity CF	Infinity CFR	Infinity SF
	Fixing system			-

Product data sheet

Installation manual



Included



Optional

Installation materials



Adhesive glue

Ultrabond MS Rapid



Joint sealant

Mapesil AC



Worktops

One



One CF Beton NCS S 4020-B30G 121x46 cm

Textures



arabba

slate

beton


nude

zero



Bathtub support tray

Standard sizes (cm)



NOTE: it is necessary to add the worktop design with all the measurements in each order.

Available colours



See available colours on pages 20 to 23

Order form



NOTE: the maximum dimensions of Alkron products can vary by ±0.5% in length and width.

COMPLEMENTS

Upstand

		Texture	Sizes (cm)	
	Upstand	Arabba / Slate / Beton / Nude / Zero	60 - 240 x 3 x 1,6	

Towel rail

		Sizes (cm)	One CF
	Front towel rail Show	40 x 4	
	Right towel rail Show	40 x 4	
	Left towel rail Show	40 x 4	

Fixing system

		One CF	One CFR	One SF
	Fixing system			-

Installation materials

	Adhesive glue	Ultrabond MS Rapid	
	Joint sealant	Mapesil AC	

Product data
sheet

Installation manual



Included



Optional






Moiwa 121 • Show 90 Quiz furniture NCS S 3020-R90B • Moon Beton mirror NCS S 3020-R90B




Standard sizes (cm)


Moiwa 81




Moiwa 91



Moiwa 101



Moiwa 121



COMPLEMENTS

Drains

		Finish	Cover finish	
	Clic-clac drain	Chrome	Chrome	
	Free outlet drain	Chrome	Chrome	
	Pop Down drain	Chrome	Chrome	
	Flat drain	Chrome	Chrome	

Towel rail

		Sizes (cm)	
	Moiwa towel rail	50 x 5	

Fixing system

	Fixing system		
---	---------------	--	---

Installation materials

	Joint sealant	Mapesil AC	
---	---------------	------------	---

Product data sheet

Installation manual



Included



Optional



Tai




Tai 80 SF · One CFR Slate crema 80x46 cm




Standard sizes (cm)


Tai 80




Tai 100




Tai 100 Dx



Tai 120



Tai 120 Dx



COMPLEMENTS

Drain

		Finish	Cover finish	
	Solid Surface clic-clac drain	Chrome	White	

Fixing system

	Fixing system			
---	---------------	--	--	---

Installation materials

	Joint sealant	Mapesil AC		
---	---------------	------------	--	---

Product data
sheet

Installation manual



Included



Optional









Standard sizes (cm)


Kivu 80




Kivu 100



Kivu 120



Kivu-2 120



COMPLEMENTS

Drain

		Finish	Cover finish	
	Solid Surface clic-clac drain	Chrome	White	

Fixing system

	Fixing system			
---	---------------	--	--	---

Installation materials

	Joint sealant	Mapesil AC		
---	---------------	------------	--	---

Product data
sheet

Installation manual



Included



Optional



Tana




Tana 100 • One CF 200X46 cm Zero negro • Artico furniture maderas 80 • Basic Zero wallpanel negro 160x100 cm




Standard sizes (cm)


Tana 60



Tana 80



Tana 100



COMPLEMENTS

Drain

		Finish	Cover finish	
	Solid Surface clic-clac drain	Chrome	White	

Fixing system

	Fixing system			
---	---------------	--	--	---

Installation materials

	Joint sealant	Mapesil AC		
---	---------------	------------	--	---

Product data
sheet

Installation manual




Included



Optional





Basins

Delia	250-251
On-Top	252-255
Chrea	256-257
Levi	258-259
Vars	260-261
Venet	262-263
Echo	264-265
Tai	266-267
Kivu	268-269

acquabella



Delia Zero basin forest

Drains

Finish



Akron clic-clac drain

Chrome / Black



Akron free drain

Chrome / Black



NOTE: the maximum dimensions of Akron products can vary by $\pm 0.5\%$ in length and width.

Texture




zero



Delia Zero basin NCS S 4020-B30G

Standard sizes (cm)




Award



archiproducts
DESIGN AWARDS
2022

WINNER

Complement



Delia furniture (p. 282)



Available colours



See available colours on pages 20 to 23

Fixing system

Integra CF

Integra SF



Fixing system



-

Installation materials



Joint sealant

Mapesil AC



Product data sheet

Installation manual



NOTE: tap hole included, centred with respect to the basin.

On-Top



On-top Rectangle XL. Beton basins NCSS 3040-Y60R • One CF worktop Beton nacar 220x50 cm • One CFR worktop Beton nacar 220x50 cm • Arabha sand wallpanels 250 x 90 cm

Texture



slate

beton




On-top Square XL Slate basin cemento • One CF Zero worktop blanco 220x46 cm • Basic Slate wallpanels crema



On-top Colors Circle Beton basin NCS S 3050-Y80R • One CF Beton worktop crema 180x46 cm

Standard sizes (cm)



NOTE: 5 cm diameter drain.

Available colours



See available colours on pages 20 to 23

COMPLEMENTS

Drains

Finish



Akron clic-clac drain

Chrome / Black



Akron free drain

Chrome / Black



Installation materials



Joint sealant

Mapesil AC



Product data sheet



Installation manual



Included



Optional





Chrea basin


Drain

	Finish	Cover finish	
	Dolotek clic-clac drain	Chrome	Blanco mate



Chrea basin • One CF Slate worktop NCS S 4020-B90G • Basic Slate wallpanels NCS S 2010-G20Y 100x105 cm • Moon Slate mirror NCS S 2010-G20Y

Standard sizes (cm)



Installation materials



Joint sealant

Mapesil AC



Product data sheet



Installation manual





Levi Rectangle basin

Drains


		Finish	Cover finish	
	Clic-clac drain	Chrome	Chrome	
	Free outlet drain	Chrome	Chrome	
	Pop Down drain	Chrome	Chrome	
	Flat drain	Chrome	Chrome	




Levi Circle XL basin

Standard sizes (cm)


Levi Circle XL



Levi Rectangle



Levi Rectangle XL



Installation materials



Joint sealant

Mapesil AC



Product data sheet



Installation manual



NOTE: the maximum dimensions of Dolotek products can vary by $\pm 1\%$ in length and width.



Vars Rectangle XL basin

Drains


		Finish	Cover finish	
	Pop Down drain	Chrome	Chrome	
	Flat drain	Chrome	Chrome	




Vars Circle XL basins • One CF Slate worktop cappuccino 160x50 cm • Basic Slate wallpanels NCS S 1020-G90Y 250x100 cm

Standard sizes (cm)


Vars Circle




Vars Circle XL



Vars Square XL



Vars Rectangle XL



Cover

	Material	Finish	
	Dolotek cover	Dolotek	Blanco mate 

Installation materials

	Joint sealant	Mapesil AC	
---	---------------	------------	---

Product data sheet



Installation manual



NOTE: the maximum dimensions of Dolotek products can vary by ±1% in length and width.



Venet Square basin

Drains


		Finish	Cover finish	
	Clic-clac drain	Chrome	Chrome	
	Free outlet drain	Chrome	Chrome	
	Pop Down drain	Chrome	Chrome	
	Flat drain	Chrome	Chrome	




Venet Rectangle basin • Urban furniture blanco 120 cm • Urban mirror • Basic Beton wallpanel blanco 250x100 cm

Standard sizes (cm)


Venet Circle




Venet Circle XL



Venet Square



Vars Rectangle



Installation materials



Joint sealant

Mapesil AC



Product data sheet



Installation manual



Echo



Echo 60 mate basin


Drains

		Finish	Cover finish	
	Pop Down drain	Chrome	Chrome	
	Flat drain	Chrome	Chrome	




Standard sizes (cm)


Echo 40



Echo 60



Echo 75



Cover

	Material	Finish	
	Dolotek cover	Dolotek	Blanco mate 

Installation materials

	Joint sealant	Mapesil AC	
---	---------------	------------	---

Product data sheet

Installation manual



NOTE: the maximum dimensions of Dolotek products can vary by $\pm 1\%$ in length and width.

Tai



Basin Tai

Drain



Clic-clac drain Solid Surface

Finish

Chrome


Cover finish

Blanco





Standard sizes (cm)



Installation materials



Joint sealant

Mapesil AC



Product data
sheet



Installation
manual



NOTE: the maximum dimensions of Solid Surface products can vary by $\pm 1/2$ mm in length and width.



Kivu 45 basin • One SF Zero worktop crema 100x46 cm • Hera Zero wallpanel forest 250x40 cm • Basic Zero wallpanels marfil 250x100 cm • Urban 100 madera furniture


Drains

	Finish	Cover finish	
 <p>Clic-clac drain Solid Surface</p>	Chrome	Blanco	




Standard sizes (cm)


Kivu Mini



Kivu 45



Kivu 60



Installation materials



Joint sealant

Mapesil AC



Product data sheet



Installation manual





Totems

Icon | 272-273

Levi | 274-275

Vars | 276-277



Icon Slate totem NCS S 6020-B90G • Basic Slate wallpanels marfil 250x120 cm

Drains

Finish



Akron clic-clac drain

Chrome / Black



Akron free drain

Chrome / Black



NOTE: the maximum dimensions of Akron products can vary by $\pm 0.5\%$ in length and width.





slate



Icon Slate totem blanco • Basic Slate wallpanel NCS S 0530-Y80R 100x100 cm

Standard sizes (cm)



Available colours



See available colours on pages 20 to 23.

Fixing system



Fixing system



Installation materials



Joint sealant

Mapesil AC



Product data sheet

Installation manual



NOTE: tap hole included, centred with respect to the basin.



Levi totem

Drain



Clic-clac drain with overflow

Finish

Chrome


Cover finish

Chrome





Standard sizes (cm)



Fixing system



Fixing system



Installation materials



Joint sealant

Mapesil AC



Product data sheet

Installation manual



NOTE: tap hole included, centred with respect to the basin.



Vars totem


Drains

		Finish	Cover finish	
	Pop Down drain	Chrome	Chrome	
	Flat drain	Chrome	Chrome	

NOTE: the maximum dimensions of Dolotek products can vary by $\pm 1\%$ in length and width.



Standard sizes (cm)



Cover

	Material	Finish	
	Dolotek cover	Dolotek	Blanco mate
			

Installation materials

	Joint sealant	Mapesil AC	
---	---------------	------------	---

Product data sheet

Installation manual



NOTE: tap hole included, centred with respect to the basin.



Furniture and accessories

Artic furniture	280-281
Delia furniture	282-283
Integra furniture	284-285
Integra floor standing furniture	286-287
Urban furniture	288-289
Show furniture	290-291
Show closet	292
Show stool	293
Show shelf	294
Art shelf	295
Box shelf	296
Cladding for toilet	297
Urban mirror	298
Moon mirror	299

Artic furniture



Artic furniture blanco 80/40 • Integra Slate NCS S 2005-Y80R 80x46,5 cm • One Slate NCS S 2005-Y80R 40x46,5 cm

Finishes




madera



blanco



Standard sizes (cm)



NOTE: worktop not included with Artic furniture.
NOTE: the Artic furniture can be combined with any of our worktops with central drainage.
Worktops Infinity and Infinity 2 must be without tap hole.

Artic furniture madera 80/40 - One CF Zero NCS S 4020-B30G 121x46 cm - Echo basin mate 60

Product data sheet



Installation manual



Delia furniture



Delia Zero furnitures NCS S 2010-G20Y • Delia Zero forest • Urban mirror • Basic Slate wallpanels crema 250x85 cm

Textures



arabba

slate


beton

nude

zero




Standard sizes (cm)



NOTE: Delia Basin not included with Delia furniture.

Complement



Delia Zero basin (p. 250)



Available colours



See available colours on pages 20 to 23.

Product data
sheet

Installation
manual



NOTE: the maximum dimensions of Alkron products can vary by $\pm 0.5\%$ in length and width.

Integra furniture



Integra furniture 100 Slate blanco • Integra SF 120 Slate blanco • Urban mirror

Textures



arabba

slate


beton

nude

zero



Standard sizes (cm)



NOTE: worktop not included with Integra furniture.



Available colours



See available colours on pages 20 to 23.

Integra 2 SF 120 Slate blanco · Integra furniture 120 Slate blanco · Basic Slate wallpanels blanco 250x120 cm

Product data sheet

Installation manual



NOTE: the maximum dimensions of Alron products can vary by ±0.5% in length and width.

Integra floor standing furniture



Integra floor standing furniture 120 Slate lava • Integra SF 120 SX Slate lava • Urban mirror

Textures



arabba


slate

beton

nude

zero

Standard sizes (cm)



NOTE: worktop not included with Integra floor standing furniture.

Height (cm)



Integra CF

Integra 2 CF

Infinity CF

Infinity 2 CF

One CF

One CFR

One SF



Integra SF

Integra 2 SF

Infinity CFR

Infinity SF

Infinity 2 CFR

Infinity 2 SF



Integra floor standing furniture 120 Beton blanco - One SF Beton blanco 120x46,5 cm - Quiz wallpanel NCS S 6020-B30G 240x120 cm



Integra floor standing furniture 120 Slate blanco - Integra SF 120 SX Slate blanco

Available colours



See available colours on pages 20 to 23.

Product data sheet

Installation manual



NOTE: the maximum dimensions of Altron products can vary by $\pm 0.5\%$ in length and width.

Urban furniture



Urban furniture madera 120 cm • Integra SF 120XL. Slate negro • Basic Slate wallpanels blanco 250x120 cm • Urban mirror

Finishes




madera



blanco



Standard sizes (cm)



NOTE: worktop not included with Urban furniture.
 NOTE: the Urban furniture can be accompanied by any of our worktops as long as it conforms to the following parameters: length 80,100 or 120 cm - width 46 cm - drain position centered.



Complement

Finish



Legs + Towel rail

Black



Product data sheet



Installation manual



Show furniture



Show furniture 80 Arabba crema - Infinity 52 CF Arabba cappuccino 200x50 cm

Textures



arabba

quiz

slate

beton


nude

zero



Show furniture 80 Slate terracota

Standard sizes (cm)



Available colours



See available colours on pages 20 to 23.

Product data
sheet



Installation
manual




Show closet



Show Quiz closet NCS S 3050-Y80R

Standard sizes (cm)



Available colours



See available colours on pages 20 to 23.

Textures



arabba

quiz


slate

beton

nude

zero

Complement



Finish

Tower rail

Black



Product data sheet



Installation manual




NOTE: the maximum dimensions of Akron products can vary by $\pm 0.5\%$ in length and width.

Show stool



Show stool blanco Slate NCS S 5540-R90B · Chrea bathtub

Standard sizes (cm)



Available colours



See available colours on pages 20 to 23.

Textures



arabba



slate



beton



nude



zero

NOTE: available frame in shiny stainless steel, white and black.
NOTE: the maximum dimensions of Akron products can vary by $\pm 0.5\%$ in length and width.


Product data
sheet



Show shelf



Standard sizes (cm)



Show shelf blanco Beton blanco • Basic Beton wallpanel crema 250x100 cm

Available colours



See available colours on pages 20 to 23.



Corner Show shelf negro Slate lava • Basic Slate wallpanels marfil

Textures



NOTE: available frame in stainless steel, white and black.
NOTE: the maximum dimensions of Akron products can vary by $\pm 0.5\%$ in length and width.

Product data
sheet



Installation
manual




Art shelf



Art Shelf 62 Zero crema · Art Shelf 33 Zero crema · Muretto Loft oliva 250x120 cm

Standard sizes (cm)



Available colours



See available colours on pages 20 to 23.



Corner Art shelf Zero blanco

Textures



arabba

slate

beton

nude

zero

hera

NOTE: available frame in stainless steel, white and black.
NOTE: the maximum dimensions of Akron products can vary by $\pm 0.5\%$ in length and width.

Product data sheet

Installation manual



Box shelf



Box shelf 50 Beton NCS S 2050-Y · Basic Beton wallpanels sand 250x50 cm

Standard sizes (cm)



Available colours



See available colours on pages 20 to 23.

Textures



arabba

slate

beton

nude

zero

Product data
sheet



Installation
manual




NOTE: the maximum dimensions of Akron products can vary by $\pm 0.5\%$ in length and width.

Cladding for toilet



Cladding for toilet Zero negro

Standard sizes (cm)



Available colours



See available colours on pages 20 to 23.

Textures



arabba

slate

beton

nude

zero

NOTE: the maximum dimensions of Akron products can vary by $\pm 0.5\%$ in length and width.

Product data sheet




Installation manual



Urban mirror



Standard sizes (cm)



Urban mirrors • On-Top Rectangle XL Beton basin NCS S 3040-Y60R • One CF Beton nacar 220x50 cm • Basic Arabba wallpanels sand 250x100 cm

Product data
sheet



Installation
manual




Moon mirror



Moon mirror Slate crema • Chrea basins • Basic Beton panels blanco 250x100 cm

Standard sizes (cm)



Available colours



See available colours on pages 20 to 23.

Textures



NOTE: the maximum dimensions of Akron products can vary by $\pm 0.5\%$ in length and width.

Product data
sheet




Installation
manual



Technical information


<i>Available traps</i>	302-303
<i>Shower trays complements</i>	304-305
<i>Bathtubs complements</i>	306-307
<i>Totems complements</i>	306-307
<i>Worktops complements</i>	308-309
<i>Basins complements</i>	310-311
<i>Akron certifications</i>	312
<i>Dolotek certifications</i>	313
<i>Solid Surface certifications</i>	313
<i>Akron products characteristics</i>	314
<i>Use and maintenance</i>	315
<i>Repair</i>	316-317
<i>General sales conditions</i>	318-319




Available traps

SHOWER TRAYS

Standard



Optional



EN 274


FN

Line standard trap		
Block trap		
Standard trap	✓	
Vertical trap		
Extraflat trap		
High flow trap	✓	✓


BATHTUBS

Standard


HC 26-IOF-95-CB trap (mm)




HC 26 CLCP trap (mm)



HC 2600 CL trap (mm)




A2 (A465) trap (mm)




	EN 274	FN
HC 26-IOF-95-CB trap	✓	
HC 26 CLCP trap	✓	
HC 2600 CL trap	✓	
A2 (A465) trap	✓	

WORKTOPS, BASINS AND TOTEMS


Akron clic-clac drain (mm)




Akron free drain (mm)




Clic-clac drain chrome (mm)




Free outlet drain chrome (mm)




Solid Surface clic-clac drain (mm)




Clic-clac drain with overflow chrome (mm)



Pop Down drain chrome (mm)



Flat drain chrome (mm)



Shower trays complements

	Standard	Nat. Made	Season	Ral/NCS	Base Slate	Base Beton	Base Zero	Base Nude
Line standard trap								
Block trap								
Standard trap					✓	✓	✓	✓
Vertical trap					✓	✓	✓	✓
Extraflat trap					🛒	🛒	🛒	🛒
High flow trap					🛒	🛒	🛒	🛒
Frame (5x4,1 cm)					🛒	🛒	🛒	🛒
Drying area					🛒			
Skirt					🛒	🛒	🛒	🛒
Base / Arq Stainless steel grid					✓	✓	✓	✓
Base / Arq Akron grid (Mia, Geo, Lux)	↓	↓	↓	↓	✓	✓	✓	✓
Rejilla Akron Unic Slate (Deco, Dune, Drop)	↓	↓	↓	↓				
Halo Akron cover	↓	↓	↓	↓				
Kos Slate Akron cover	↓	↓	↓	↓				
Alma Slate Akron grid	↓	↓	↓	↓				
Smart Quiz Akron grid	↓	↓	↓	↓				
Flow Zero Akron cover	↓	↓	↓	↓				
Tempo Arabba Akron cover	↓	↓	↓	↓				
Areia Slate Evo Akron cover	↓	↓	↓	↓				
Natur Wave Akron grid	↓	↓	↓	↓				
Focus Beton Akron grid	↓	↓	↓	↓				
Focus Beton metal ring								



Included



Optional



Available

Arq Zero	Unic Slate	Halo Slate	Halo Zero	Kos Slate	Alma Slate	Smart Quiz	Flow Zero	Tempo Arabba	Areia Slate Evo	Natur Wave	Focus Beton
		✓	✓				✓	✓			
				✓	✓						
✓	✓					✓			✓	✓	✓
✓	✓					✓			✓	✓	✓
🛒	🛒					🛒			🛒	🛒	🛒
🛒	🛒					🛒			🛒	🛒	🛒
				🛒	🛒						🛒
	🛒	🛒		🛒	🛒				🛒		
🛒	🛒	🛒	🛒	🛒	🛒		🛒	🛒			🛒
✓											
✓											
	✓										
		✓	✓								
				✓							
					✓						
						✓					
							✓				
								✓			
									✓		
										✓	
											✓
											✓

 Included
  Optional
  Available

Bathtubs complements

	Standard	Nat. Made	Season	Ral/NCS	Blanco mate	Opal Quiz	Noon Slate
 Akron	↓	↓	↓	↓		✓	✓
 Dolotek					↓		
 HC 26-IOF-95-CB drain						✓	✓
 HC 26 CLCP drain							
 HC 2600 CL drain							
 A2 (A465) drain							
 Integrated overflow						✓	✓
 Chrome overflow							
 Adjustable legs							
 Bathtub headrest						🛒	🛒
 Bathtub support tray						🛒	🛒

Totems complements

	Standard	Nat. Made	Season	Ral/NCS	Blanco mate	Icon	Levi
 Akron	↓	↓	↓	↓		✓	
 Dolotek					↓		✓
 Akron clic-clac drain chrome / black						🛒	
 Akron free drain chrome / black						🛒	
 Clic-clac drain with overflow chrome							🛒
 Pop Down drain chrome							
 Flat drain chrome							
 Dolotek cover							
 Fixing system						✓	✓
 Overflow							



Included



Optional



Available

Lech	Nevis	Voss	Chrea	Levi	Vars	Round	Volda
✓	✓	✓	✓	✓	✓	✓	✓
			✓		✓		✓
✓	✓			✓			
		✓					
						✓	
			✓		✓		✓
		✓					
	✓			✓	✓	✓	✓
🛒	🛒	🛒	🛒	🛒	🛒	🛒	🛒
🛒	🛒	🛒	🛒	🛒	🛒	🛒	🛒

Vars

✓
🛒
🛒
✓

 Included
  Optional
  Available

Worktops complements

	Standard	Nat. Made	Season	Ral/NCS	Blanco mate	Integra CF Integra 2 CF	Integra SF Integra 2 SF	Integra CF 120XL	Integra SF 120XL
 Akron	↓	↓	↓	↓		✓	✓	✓	✓
 Dolotek					↓				
 Solid Surface					↓				
 Basin 42 (30 x 42 cm)	↓	↓	↓	↓					
 Basin 52 (30 x 52 cm)	↓	↓	↓	↓					
 Basin 52 Round (30 x 52 cm)	↓	↓	↓	↓					
 Basin 62 (30 x 62 cm)	↓	↓	↓	↓					
 Basin 50 (26,7 x 50 cm)	↓	↓	↓	↓		✓	✓		
 Basin 104 (26,7 x 104 cm)	↓	↓	↓	↓				✓	✓
 Upstand						🛒	🛒	🛒	🛒
 Fixing system						✓		✓	
 Towel rail / Fixing system									
 Front towel rail Show (40 x 4 cm)						🛒		🛒	
 Right towel rail Show (40 x 4 cm)									
 Left towel rail Show (40 x 4 cm)									
 Moiwa towel rail (50 x 5 cm)									
 Akron clic-clac drain chrome / black						🛒	🛒	🛒	🛒
 Akron free drain chrome / black						🛒	🛒	🛒	🛒
 Clic-clac drain chrome									
 Free outlet drain chrome									
 Pop Down drain chrome									
 Flat drain chrome									
 Solid Surface clic-clac drain									



Included



Optional



Available

Infinity CF Infinity 2 CF	Infinity CFR Infinity 2 CFR	Infinity SF Infinity 2 SF	One CF	One CFR	One SF	Mini	Moiwa	Tai CF	Tai SF	Kivu CF Kivu 2 CF	Kivu SF Kivu 2 SF	Tana
✓	✓	✓	✓	✓	✓	✓						
							✓					
								✓	✓	✓	✓	✓
✓	✓	✓										
✓	✓	✓										
✓	✓	✓										
✓	✓	✓										
🛒	🛒	🛒	🛒	🛒	🛒							
✓	✓		✓	✓		✓	✓	✓		✓		
						✓						
🛒			🛒									
🛒			🛒									
🛒			🛒									
							✓					
🛒	🛒	🛒				🛒						
🛒	🛒	🛒				🛒						
							🛒					
							🛒					
							🛒					
							🛒					
								✓	✓	✓	✓	✓

 Included
  Optional
  Available

Basins complements

	Standard	Nat. Made	Season	Ra/NCS	Blanco mate	Blanco brillo	Delia
 Akron	↓	↓	↓	↓			✓
 Dolotek					↓	↓	
 Solid Surface					↓		
 Akron clic-clac drain chrome / black							🛒
 Akron free drain chrome / black							🛒
 Dolotek clic-clac drain chrome							
 Solid Surface clic-clac drain chrome							
 Clic-clac drain chrome							
 Free outlet drain chrome							
 Pop Down drain chrome							
 Flat drain chrome							
 Dolotek cover							



Included



Optional



Available

On-Top	Chrea	Levi	Vars	Venet	Echo	Kivu	Tai
✓							
	✓	✓	✓	✓	✓		
						✓	✓
🛒							
🛒							
	✓						
						✓	✓
		🛒		🛒			
		🛒		🛒			
		🛒	🛒	🛒	🛒		
		🛒	🛒	🛒	🛒		
			✓		✓		

 Included
  Optional
  Available

Akron certifications

Quality management system certificate

Management system of	Businesses	Result	Standard
Construplas, S.L.U.	Design, manufacture and sale of shower trays. Design and sale of bathroom accessories		ISO 9001:2015
			ISO 14001:2015
			ISO 45001:2018

Assessment of compliance of shower trays for household use *

Product	Test	Result	Standard
Shower tray	Cleanability		UNE EN 14527:2016 + A1:2019
	Stability of the bottom		
	Chemical resistance		
	Resistance to temperature changes		

* Under UNE-EN 14527:2016 + A1:2019, domestic use includes use in hotels, student residences, hospitals and similar premises.

Determination of anti-slip properties

Product	Test	Realised	Standard
Shower tray	Critical angle of slip. Unshod wet areas		UNE EN 16165:2022 Annex A

Functional requirements for sanitary fittings

Product	Test	Result	Standard
Worktop	Load resistance		UNE EN 14688:2016 + A1:2019
	Water crainage		
	Resistance to temperature changes		
	Resistance to chemicals and dyes		
	Cleanability		

Assessment of compliance of domestic bathtubs

Product	Test	Result	Standard
Bathtub	Cleanability		UNE EN 14516:2017 + A1:2019
	Stability of the bottom of the bathtub		
	Resistance to chemicals and dyes		

Chemical agents test

Type	Reactivo	Result	Standard
Acids	Acetic acid (CH ₃ COOH) 10% v/v		UNE EN 14527:2016 + A1:2019
Alkalis	Sodium hydroxide (NaOH) 5% v/v		
Alcohols	Ethanol (C ₂ H ₅ OH) 70% v/v		
Bleaching agents	Sodium hypochlorite (NaOCl) 5% of active chlotine (Cl ₂)		
Staining agents	Methylene blue 1% m/m		

* The decolorant specified above may be replaced by sodium percarbonate (2NA₂CO₃ - 3H₂O₂) prepared as follows: Dissolve 1g of a commercially available powdered sodium percarbonate-based decolorant containing 15% to 30 % of the active component in 100 ml of deionised water at room temperature.

Dolotek certifications

Declaration of performance numbers – Regulation (UE) n^o 305/2011 Annex III *

Product	Basic characteristic	Result	Standard
Basin / Totem / Worktop	Cleanability		EN 14688
	Load resistance		
	Drain		
	Durability		
	Resistance to temperature changes		

* Tests were conducted by the Construction Technology Institute, member of the European Organisation of Technical Assessment (EOTA).

Product	Basic characteristic	Result	Standard
Bathtub	Cleanability		EN 14516
	Durability		
	Resistance to temperature changes		

* Tests were conducted by the Construction Technology Institute, member of the European Organisation of Technical Assessment (EOTA).

Resistance to chemical reagents and dyes *

Type	Reagent	Removal method	Efects	Result	Standard
Acids	Acetic acid (CH ₃ COOH) 10% v/v	Deionised water	No discolorations (stains) or damage to the usable surface were established		EN 14688
Alkalis	Sodium hydroxide (NaOH) 5% v/v				
Alcohols	Etanol (C ₂ H ₅ OH) 70% v/v				
Bleaching agents	Sodium hypochlorite (NaOCl) 5% of active chlotine (Cl ₂)				
Staining agents	Methylene blue 1% m/m				
Salts	Sodium chloride (NaCl) 170 g/l, diluted with water to 50%				

* The test was conducted in accordance with the description in item 5.5 of the EN 14688:2006 European Standard using all the chemical reagents provided in Table 2 of this document.

Solid Surface certifications

Functional requirements for sanitary fittings

Product	Test	Result	Standard
Basin	Water crainage		UNE EN 14688:2016 + A1:2019
	Resistance to temperature changes		
	Resistance to chemicals and dyes		
	Cleanability		
	Durability		

Akron products characteristics

Packing and shipping conditions

All Akron shower trays are individually packed in a wood box according to the shower tray measures. Box contains shower tray completely protected and also:

- 1/ Installation instructions in different languages.
- 2/ AISI 304 stainless steel grid or Akron grid. High precision laser cut and polished, exclusive design from ACQUABELLA. Ready to install over trap.
- 3/ All our shower trays are supplied with a high quality syphonic shower trap (waste) according to the European standards.

Claims for damage are not accepted once the POD is signed.

Use and maintenance conditions

A correct care of your AKRON shower tray from ACQUABELLA will let you enjoy it for many years. On a daily routine basis, a simple water wash out and a good ventilation of the bathroom is enough. When a more thorough cleaning is needed, cleaning must be performed only with water, regular house cleaning soap and a NON abrasive sponge. DO NOT USE any kind scourer or scrubber. AVOID USING CLEANING PRODUCTS CONTAINING SOLVENTS OR ACIDS. DO NOT USE ANY KIND OR ABRASIVE PRODUCT OR CLOTH.

It is most important to protect the shower tray against possible hits and scratches during the installation process. A cardboard sheet is also provided in the box for this purposes. Using this protective cardboard will also help to avoid mortar, cement, adhesive or even painting remains to stain shower tray. We strongly recommend to protect shower tray during the installation process.

Please be especially careful with the special cement grouts used for ceramic tiles or stone. These products usually contain lime, sands and resins and if they end drying on the shower tray surface, this results in a stain difficult to clean. To avoid letting these products fry on the shower tray surface, wash out it with regularly and with plenty of water and leave the shower tray without any residue. SO, PROTECT WITH CARTON BOARD AND RAISE WITH WATER ANY RESIDUE BEFORE IT DRIES.

In case mortar or cement grout have finally stained the shower tray, FILA DETERDEK should be used at the end of the work.

Special shower tray

ACQUABELLA Akron shower trays, with the exception of the Arq and Flow models, can be supplied made to measure. When cutting to exact size, we perform straight cuts. It is not possible to cut arc, bends or curved shapes.

When ordering a "cut to size" ACQUABELLA Akron shower tray it is important: 1/ Indicate the final length of the shower tray in cm (if you wish to cut in length). 2/ Indicate the final width of the shower tray in cm. (If you wish to cut in width). 3/ Draw a sketch of the exact required sizes and shape of the shower tray.

On written request, the cut side can also be ordered painted on the same colour of the shower tray, but please note, the cut side always loses the texture.

Installing replacing panels and elevation supplements

ACQUABELLA Akron shower tray completes its line with replacing panels to attach to the bathroom wall and also elevation supplements. These products are available on request. Akron products can be cut using circular saws or grinding machines with diamond discs, as those usually used building.

Fixing of the various elements must be carried out using ULTRABOND or similar and sealing with non-acidic silicone.

Repairing an Acquabella Akron shower tray

In most cases it is possible to repair the surface of a shower tray deteriorated by on improper use. A repair kit is available. This kit must be ordered specifying the colour of the shower tray to repair.

To apply the polyurethane repair lacquert, first apply cleaning alcohol to the area to remove dirt and grease. Apply paint with a small paint roller. Leave 48/72 hours for proper drying, do not touch the area while drying, do not use the shower tray in this time.

FAQ'S (frequent asked questions)

- What tool to use for cutting Akron shower tray or panels?
Circular saw with diamond disc, similar to those use for cutting stone, ceramic tiles, etc.
- What cleaning products can be used for AKRON shower trays and worktops?
To clean any traces of glue and cement mortar joints use a descaler called Fugas soap (KERAKOLL), DETERDEK from FILA brand, because it is specific for the removal of debris from construction works, also used for the removal of other components such as salt, rust and lime, please read the instructions. DO NOT RUB, let the product act; NEVER USE PADS (SCOTCH BRITE, or NATURAL FIBER) nor SOLVENTS, ACID, ALKALI OR ABRASIVE. After cleaning, rinse thoroughly and ensure sufficient ventilation of the bathroom. It is not dangerous for the user and not dangerous for the environment.
- What are the shower trap (waste) valve characteristics?
The included shower trap (waste) is a top brand one. It is a syphonic trap, with its odour sealant effect the European quality norms. It is equipped with an easy cleaning system, just remove the Acquabella stainless steel grid and you will see a handle, pull the handle and remove the piece, clean it and replace it.
This piece is key in the syphonic effect, so, if there is a second syphonic shower tray installed in the bathroom, you must remove the piece from the shower tray, if not, water will not drain.
- What products can be used to fix and install shower trays or panels?
The bonding of the various elements must be done using SIKAFLEX (SIKA), SUPERFLEX (KERAKOLL) and sealing with grouting ceramic material or silicone nonacidic.
- What is the thickness of replacing panels?
The Basic panels are 6 mm thick, and the Slim panels are 3mm thick. 3D panels: min. 6mm and max. 10mm.
- What are the dimensions of the skirt for the AKRON shower trays by Acquabella?
The skirts have a height of 9 cm, which corresponds to the height of the siphonic drain of the AKRON trays.
- Where to order spare parts or repairing kits?
You can order spare parts like shower traps, stainless steel grid, repairing kits, instructions and installation leaflets, etc. Please address to ACQUABELLA commercial department, they will be pleased to give you a quotation and fulfil your requests.
- Is any promotion material available for ACQUABELLA Akron shower trays?
Yes, to properly promote and exhibit ACQUABELLA Akron shower trays, there is a special exhibitor unit, ready to show two shower trays. Shower trays can be chosen of any texture and colour.

Use and maintenance

Akron

To enjoy your shower tray for years, please follow this simple tips:

For routine cleaning simply rinse with a mild (non-abrasive) cotton dish cloth with water. NEVER USE PADS (SCOTCH BRITE or NATURAL FIBER) no SOLVENTS , ACID, ALKALI OR ABRASIVE . After using any cleaner it is necessary to rinse abundantly with soap and water in order to remove any traces of cleaning products. Ensure sufficient ventilation of the bathroom. Avoid contact with lacquer, nail polish remover , organic solvents , alcohols , acids, Alkalis,etc. If you are going to use hair dyes, rinse the shower tray with water and soap when finished.

To remove any traces of lime that can stay in the panel , use a limescale cleaner (Viakal) lowering 1:3 with water (1 L Viakal by 3 L of water) as follows:

- Apply with a wet cloth over the entire surface.
- Leave on for 15 minutes and after that time rinse thoroughly.
- Place the grid again and rinse the shower tray with water again.

Not recommended for outdoor use.

Dolotek

To enjoy your product for many years to come, follow these simple tips:

1. For regular cleaning, we recommend universal, non-abrasive cleaning products.
2. After each use, rinse the inner surface with water and dry with a cotton cloth. Do not use synthetic or microfibre cloths as they may scratch the surface.
3. To remove limescale, use vinegar diluted with water.
4. Clean stubborn stains with warm water and mild

ATTENTION: We recommend using a green pad (Scotch Brite or similar) or an abrasive sponge only in the case of superficial scratches or persistent stains. Do not use it over the logo.

Not recommended for outdoor use.

Solid Surface

As a daily cleaning routine, soak a green or gray sponge in soapy water and scrub the surface in circular motions. For a deeper clean, use a generic degreaser, applying it evenly over the worktop and scrubbing with the sponge always in a circular manner.

For tough stains, apply a cream cleaner directly onto the stain and gently scrub in circles with the sponge to clean the affected area.

In cases of extremely difficult stains, carefully soak the sponge in acetone and apply it to the affected area with circular motions.

Not recommended for outdoor use.

Repair

Akron repair kit

Follow instructions for a correct use of our Akron repair kit:

ADEQUACY ZONE TO REPAIR:

1. Clean the surface of the shower tray very well. It can be applied for meths or acetone diluted in water with a lint-free cloth.
2. Surface must be totally clean and dry.
3. Secure with bodybuilder tape or similar susceptible stain areas (tiles, screens, etc.)

APPLICATION:

1. Open the can and the bottle.
2. Put the coloured lacquer and catalyst on a small painter plastic bucket and mix.
3. Use a little roller to paint 8 or 10 cm. good quality, doing long strokes and always in the same direction, reiterating if necessary. It is important not release lint remains.
4. Depending on the state of the area to restore, you may need to apply several hands of painting. This allow to dry between them at least 40 minutes before applying the next coat.
5. Finally let dry 48 hours before removing the masking tape protection.

NOTE: a kit covers a maximum area of 140x100 cm.



Akron repair kit



Akron mini repair kit

It is possible to repair small defects caused in an Acquabella AKRON shower tray. If for any reason the surface has been damaged due to improper installation or accidental damage you can now order a MINI restoration kit. Just specify the finish and the colour of the shower tray to be repaired. THE KIT CONSISTS OF A CONTAINER AND IT IS INTENDED FOR SMALL REPAIRS TO THE SURFACE. CAUTION: SMALL TONALITY VARIATIONS MAY DIFFER FROM THE ORIGINAL COLOUR.

PROCEDURE FOR SHOWER TRAY REPAIR:

1. Clean the shower tray surface in depth. You can use a combination of alcohol or acetone diluted with water. Clean using a soft lint-free cloth.
2. The surface must be completely clean and dry before starting.
3. Carefully open the container and ensure that the paint is properly mixed.
4. Use the brush provided to paint the surface to be repaired.
5. Leave to dry for a minimum of 48 hours.



Akron mini repair kit



Akron putty repair kit

It is possible to repair the surface of an AKRON shower tray by Acquabella if for some reason the surface of the tray has deteriorated due to improper use. In these cases, you can request a putty repair kit. The kit consists of two containers, A and B.

Procedure for repairing a shower tray:

ADEQUACY ZONE TO REPAIR:

1. Clean the surface of the tray very well. It can be applied to this process rubbing alcohol or acetone diluted in water with a soft cloth that does not leave any kind of lint.
2. The surface must be completely clean and dry.
3. Dimension the area to be repaired with masking tape or similar.

APPLICATION:

4. Open the containers.
5. Mix the components of containers A and B on a putty knife.
6. Extend the putty on the surface to be repaired.
7. Allow to dry for 30 minutes, at approximately 20° C. Once dry remove the bodybuilder's tape.
8. Simulate the texture of the tray with a sandpaper. Remove dirt and clean the area.
9. Paint the tray with a Repair Kit. From this point follow the instructions in the Repair Kit manual.



Akron putty repair kit



Dolotek repair kit

This kit can be used to repair damage and scratches. We recommend that it is applied by a professional. The kit contains all the components required to carry out the repair and to guarantee professional quality and finish.

PREPARATION OF THE AREA TO BE REPAIRED:

1. Remove loose debris from the damaged surface with the help of a cutter or sharp tool. Apply burning alcohol to remove any loose powder, using a cotton cloth that does not leave any lint.
2. The surface must be completely clean and dry.
3. Protect the perimeter area of the damaged section with masking tape.

DIRECTIONS FOR USE:

1. Protect your hands with gloves and wear a mask.
2. Pour canister B (Pipette) into canister A and stir with the spatula for about 30 seconds until everything is well mixed.
3. Apply the mix immediately to the damaged surface using the spatula. You must apply excess material, leaving more than enough. Leave to dry for at least 6 hours
4. Remove the masking tape and wet the sandpaper before use. First use the red sandpaper with the withe block as a support to sand the damaged surface in small circles. Then repeat the same process using the grey sandpaper.
5. For an improved final finish, give the entire surface a light once-over with a green scourer (Scotch Brite or similar).

* The Repair Kit has an expiration date of 3 months from the date on the package

ATTENTION: There may be slight variations in shade from the original colour. Repair Kits should be stored in a cool, dry place and out of the reach of children.



Dolotek repair kit



Solid Surface repair kit

This kit is used in case of impact, chipping on the surface or corner to fill the damage and sand.

1. Clean the affected area thoroughly from dust and dirt before applying the filler. Mark the perimeter with masking tape before application.
2. Mix filler and hardener (about 80-20%) with spatulas until fully blended.
3. Apply to the damaged area, preferably slightly overfilling to ensure full coverage of the chip or hole.
4. After applying the filler, wait 10–15 minutes, then sand until the surface is smooth.



Solid Surface repair kit



General sales conditions

These general sales conditions are applicable to all orders and/or contracts, and so, they are considered to be known and accepted by the buyer when sending the purchase order.

PRICES

Our retail prices may vary after notification of the buyer. The new prices will apply to all orders placed from the date of modification onwards. The tax rate currently in force, V.A.T. and any other tax required by law will be applied to the invoice and net prices.

VALIDITY PERIOD

This price list is valid from July 2025 and until further notice. This present price list cancels all previous price lists and it is subject to modification without any prior notification by Construplas S.L.U.

CATALOGUES, OFFERS AND ORDERS

The terms and conditions of our catalogues are provided for informational purposes only.

Orders with special measures, sizes or characteristics, different to those shown in this price list, will always have to be checked by our Sales Personnel. Our Sales Department is ready and please any clarification, doubt or question that arises.

Returns are not accepted for special — non-standard items

ORDER MODIFICATIONS AND / OR CANCELLATIONS

No cancellations, neither modifications on orders will be accepted once items have entered production, and in any case, after 24 hours from reception of the order. All order modifications and or cancellations must be sent to Construplas S.L.U. in writing.

RETURNS

No returns are accepted without prior authorization in writing issued by Construplas S.L.U. Merchandise return will be admitted when they have been previously communicated and accepted by our Sales department. Merchandise must be returned to our premises in Vall de Uxó (Castellón) in perfect condition, on arrival Construplas S.L.U. will deduct from invoiced amount of the goods a percentage not less than 30% for reception, test, inspection, and depreciation costs. Once return has been accepted, no credit will be issued until reception, inspection, test and evaluation of the goods has been made by Construplas S.L.U.

SPECIAL - NON STANDARD ITEMS

Items with special measures, sizes or characteristics, different to those shown in this price list, will always have to be checked by our Sales Personnel. Our Sales Department is ready and please any clarification, doubt or question that arises.

Returns are not accepted for special — non-standard items

TECHNICAL INFORMATION AND CHARACTERISTICS OF THE PRODUCTS

All technical information in this price list is simply illustrative. Construplas S.L.U. reserves its right to change and / or modify any characteristic or feature of any provided if does not affect to the essential features of the product.

DIMENSIONAL TOLERANCES

Due to the nature of raw materials and manufacturing process of our Akron products, these can have a $\pm 0.5\%$ in length and width dimensional tolerance respect to the real required dimensions.

For our Dolotek products, these may have a tolerance of $\pm 1\%$ with respect to the actual dimensions requested.

For our Solid Surface products, these may have a tolerance of $+1/-2\text{mm}$ in length and width with respect to the actual dimensions requested.

DELIVERY TERM

All orders received are confirmed via mail or fax with an illustrative delivery term. No claim of any kind will be accepted based on delays on these delivery terms.

INSTALLATION AND ASSEMBLING

Proper assembling and installation of our products are required. These must be made by qualified personnel and following instructions leaflets supplied with our products. Invalid installation and/or assembling will result in guarantee voiding.

CONDITIONS OF PAYMENT

These items are negotiated individually with customers.

LITIGATION / CONTROVERSIES

Construplas S.L.U. will do its best to solve any kind controversy that shall arise with our customers on friendly basis. But in case this is not possible, in case of litigation, or controversy between the parties in relation with the interpretation and / or accomplishing of the contract and / or these "GENERAL SALES CONDITIONS", both parties submit themselves to an arbitration in equity according to the Arbitration Law December 5th 1998 of the Kingdom of Spain, waiving whatsoever other jurisdiction they may have to right to.

GUARANTEE GENERAL TERMS

Commercial Guarantee ("CG"), offered by Construplas S.L.U. only applies to products bought in member countries of the European Union ("UE"). Products sold in non EU countries are not under this CG unless written agreement with Construplas S.L.U.

This CG does not affect consumer rights under the Directive 1999/44, and the according national transposition Laws of the UE countries.

Construplas S.L.U. guarantees its products and components against any unconformity only if they have been properly installed (according to the regulations and following the instructions) and if the products have been used on a Standard basis and as they were conceived for. If the lack of conformity is notified to Construplas S.L.U. in the following 2 months from the knowledge of the unconformity, the validity period of the commercial guarantee for the end user will be 2 years from the date of purchase, proven by the purchasing invoice.

An exception to the regular terms of the CG rules for all products and items than have been exhibited in showrooms or salerooms of any kind as a distributor, retailer, developer, builder, etc. In this cases, the period of CG in one year from the date of purchase, proven by the purchasing invoice.

The bearer of this CG must prove its validity by the purchasing invoice of the product or by the purchasing deed of the house, apartment, etc. where the products are installed.

This commercial guarantee DOES NOT cover:

- Damages caused by transport (except if transported by Construplas S.L.U.), damages caused by incorrect installation or assembling, damages caused by repairs or manipulation performed by personnel non authorized by Construplas S.L.U.
- Damages caused by dirt, incrustations, lime, calcination and other physical, chemical or electrochemical defects.
- Damages not objectively attributable to the manufacturer.

IMPORTANT NOTE ON GUARANTEE ON SHOWER TRAYS

Construplas S.L.U. guarantees the shower tray against any manufacturing defect and undertakes to substitute the defective shower tray by new one or the to repair it.

Before finishing ceramic tile installation, and BEFORE installing any other material on or around the Shower tray, the installer must verify the correct installation, specifically levelling and drainage. If these verifications are not performed correctly, Construplas S.L.U. will NOT accept any expenses on the shower enclosures or tiles installed on or around the shower tray.

Construplas S.L.U. will not be responsible for the construction costs derived from the replacement of the shower tray.

The colours, information, weight and descriptions contained in this catalogue are used as a guidance. The aspect of the material can vary slightly from the one showed in the photographs. Construplas, S.L.U. keeps the right to add without previous notice and at any time or for any motive, all the modifications that should consider appropriate. Any reproduction, partial or total not authorised remains totally prohibited. The above mentioned violation will be prosecuted by the law.

CONSTRUPLAS S.L.U. Pol. Ind. Belcaire Calle C - Parcela 1201 • CP:12600 • Vall d'Uixó (Castellón) España • Tel. +34 964 66 19 19 • Fax. +34 964 69 60 84
acquabella@construplas.com

V. 2025

