




Alma

S L A T E


Standard



Naturally Made



Season




RaI/NCS




Dimensiones • Dimensions • Misure • Sizes • Abmessungen (cm)


70 x




80 x



90 x



100 x



NOTA: Las medidas máximas pueden variar entre $\pm 0,5\%$ en largo y ancho. / NOTE: Les dimensions maximales peuvent varier aprox. $\pm 0,5\%$. / NOTA: Nei prodotti Akron le dimensioni massime possono variare di $\pm 0,5\%$ in lunghezza e larghezza. / NOTE: The maximum dimensions of Akron products can vary by $\pm 0,5\%$ in length and width. / HINWEIS: Bei Akron-Produkten können die maximalen Abmessungen in Länge und Breite um $\pm 0,5\%$ variieren.

Rejillas • Grille • Griglia • Grids • Abdeckung

Akron






Desagües • Bondes • Scarichi • Traps • Abläufe (cm)



Desagüe block
Bonde block
Scarico block
Block trap
Block Ablauf



Moldura • Rebord • Bordi • Frame • Duschwannenrand




Slate

4,1 x 5 cm



Zócalo de elevación • Habillage • Zoccoli • Skirt • Socket




Slate

9 x 60 - 220 cm



Zona de secado • Zone de séchage • Zona di asciugatura • Drying area • Podest




Slate


100 x 100 cm




Textura • Texture • Finiture • Texture • Oberfläche



Dimensiones • Dimensions • Misure • Sizes • Abmessungen

	A (cm)	B (cm)	C (cm)
	100	70/80/90/100	15
	120	70/80/90/100	15
	140	70/80/90/100	15
	160	70/80/90/100	15
	180	70/80/90/100	15
	200	70/80/90/100	15

Corte a medida • Découpe sur mesure • Taglio su misura • Bespoke cut • Fertigung nach Maß







Opcional • Optionnel • Opzionale • Opcional • Optional



Incluido • Inclus • Incluso • Included • Inklusive



UNE- EN 16165:2022 Anexo A • Annexe A •
Allegato A • Annex A • Anhang A

Antideslizamiento Clase C
Antidérapant Classe C
Antiscivolo Classe C
Antislip Class C
Rutschfestigkeit Klasse C



Facilidad de corte
Facile à découper
Facilità di taglio
Easy to cut
Einfach zu schneiden



Corte seguro. Material sin sílice
Découpe sûre-matériau sans silice
Taglio sicuro. Materiale senza silice
Safe cut. Material without silica
Sicherer Schnitt. Produkt ohne
Silizium



XP P 05-010

Normativa francesa PN 24
Normative française PN 24
Normativa francese PN 24
French Normative PN 24
Französische Normative PN 24



Resistente al choque térmico
Résistant au choc thermique
Resistente allo shock termico
Resistant to thermal shock
Resistent gegen Temperaturschock



Resistente a impactos
Résistant aux impacts
Resistente agli urti
Impact resistant
Schlagfest



ISO 22196:2011

Certificado antibacteriano
Certificat antibactérien
Certificato antibatterico
Antibacterial certificate
Zertifikat zur antibakteriellen
Wirksamkeit



UNE-EN 14527:2016 + A1:2019

Clase 1
Classe 1
Classe 1
Class 1
Klasse 1



Resistente a la hidrólisis. 0% poliéster ortoftálico
Résistant à l'hydrolyse. 0% polyester orthoftálico
Resistente all'idrolisi. 0% poliestere orto-ftalico
Hydrolysis resistant. 0% ortoftal-polyester
Resistent gegen hydrolyse. 0% ortoftal-polyester