


# Alma


## SLATE




### Standard



### Naturally Made



### Season




### Ral/NCS




Dimensiones • Dimensions • Misure • Sizes • Abmessungen • Wymiary (cm)


70 x




80 x



90 x



100 x



Rejillas • Grille • Griglia • Grids • Abdeckung • Kratka

Akron




Desagües • Bondes • Scarichi • Traps • Abläufe • Syfony (cm)



Desagüe block  
Bonde block  
Scarico block  
Block trap  
Block Ablauf  
Odpływ Block



Moldura • Rebord • Bordi • Frame • Duschwannenrand • Listwa wykończeniowa



Slate

4,1 x 5 cm



Zócalo de elevación • Habillage • Zoccoli • Skirt • Socket • Cokół podwyższający




Slate

9 x 60 - 220 cm



Zona de secado • Zone de séchage • Zona di asciugatura • Drying area • Podest • Strefa osuszania



Slate


100 x 100 cm




Textura • Texture • Finiture • Texture • Oberfläche • Struktura

Slate

Dimensiones • Dimensions • Misure • Sizes • Abmessungen • Wymiary

	A (cm)	B (cm)	C (cm)
	100	70/80/90/100	15
	120	70/80/90/100	15
	140	70/80/90/100	25
	160	70/80/90/100	25
	180	70/80/90/100	25
	200	70/80/90/100	25

Corte a medida • Découpe sur mesure • Taglio su misura • Bespoke cut • Fertigung nach Maß • Cięcie na wymiar



Opcional • Optionel • Opzionale • Opcional • Optional • Opcjonalnie



Includo • Inclus • Incluso • Included • Inklusive • W zestawie



UNE- EN 16165:2022 Anexo A • Annexe A • Allegato A • Annex A • Anhang A • Załącznik A

**Antideslizamiento Clase C**  
 Antidérapant Classe C  
 Antiscivolo Classe C  
 Antislip Class C  
 Rutschfestigkeit Klasse C  
 Antypoślizgowość Klasa C



**Facilidad de corte**  
 Facile à découper  
 Facilità di taglio  
 Easy to cut  
 Einfach zu schneiden  
 Łatwość cięcia



**Corte seguro. Material sin sílice**  
 Découpe sûre-matériel sans silice  
 Taglio sicuro. Materiale senza silice  
 Safe cut. Material without silica  
 Sicherer Schnitt. Produkt ohne Silizium  
 Bezpieczne cięcie. Materiał bez zawartości krzemionki



XP P 05-010

**Normativa francesa PN 24**  
 Normative française PN 24  
 Normativa francese PN 24  
 French Normative PN 24  
 Französische Normative PN 24  
 Francuska norma PN24



**Resistente al choque térmico**  
 Résistant au choc thermique  
 Resistente allo shock termico  
 Resistant to thermal shock  
 Resistent gegen Temperaturschock  
 Odporność na szok termiczny



**Resistente a impactos**  
 Résistant aux impacts  
 Resistente agli urti  
 Impact resistant  
 Schlagfest  
 Odporność na uderzenia



ISO 22196:2011

**Certificado antibacteriano**  
 Certificat antibactérien  
 Certificato antibatterico  
 Antibacterial certificate  
 Zertifikat zur antibakteriellen Wirksamkeit  
 Certyfikat antybakteryjny



UNE-EN 14527:2016 + A1:2019

**Clase 1**  
 Classe 1  
 Classe 1  
 Class 1  
 Klasse 1  
 Klasa 1



**Resistente a la hidrólisis. 0% poliéster ortoftálico**  
 Résistant à l'hydrolyse. 0% polyester orthoftálico  
 Resistente all'idrolisi. 0% poliestere orto-ftalico  
 Hydrolysis resistant. 0% ortoftal-polyester  
 Resistent gegen hydrolyse. 0% ortoftal-polyester  
 Odporność na hydrolizę. 0% poliestru ortoftalowego