





Base

S L A T E


Standard



Naturally Made



Season




Ral/NCS



Dimensiones • Dimensions • Misure • Sizes • Abmessungen (cm)


70 x	75 x	80 x	90 x	100 x	120 x
220 200 190 180 170 160 150 140 120 100 90	200 180 160 140 120 100 100	220 200 190 180 170 160 150 140 130 120 110 100 90 80	220 200 190 180 170 160 150 140 120 100 90	220 200 180 170 160 150 140 120 100 100	200 160 120 120



Dimensiones • Dimensions • Misure • Sizes • Abmessungen

		A (cm)	B (cm)	C (cm)			A (cm)	B (cm)	C (cm)
		90	70/80	25			80	80	40
		100	70/75/80/90	25			90	90	45
		110	80	25			100	100	50
		120	70/75/80/90/100	25			120	120	60
		130	80	25					
		140	70/75/80/90/100	55			90	90	26
		150	70/80/90/100	55			90 Dx	120	27
		160	70/75/80/90/100/120	55			90 Sx	120	27
		170	70/80/90/100	55					
		180	70/75/80/90/100	55					
		180	80/90/100	90					
		190	70/80/90	55					
		200	70/75/80/90/100/120	55					
		200	80/90/100	100					
		220	70/80/90/100	110					

Corte a medida • Découpe sur mesure • Taglio su misura • Bespoke cut • Fertigung nach Maß



Especificaciones técnicas • Spécificités techniques • Technical information • Specifiche tecniche • Technische spezifikationen

	UNE- EN 16165:2022 Anexo A • Annexe A • Allegato A • Annex A • Anhang A Antideslizamiento Clase C Antidérapant Classe C Antiscivolo Classe C Antislip Class C Rutschfestigkeit Klasse C		Facilidad de corte Facile à découper Facilità di taglio Easy to cut Einfach zu schneiden		Corte seguro. Material sin sílice Découpe sûre-matériau sans silice Taglio sicuro. Materiale senza silice Safe cut. Material without silica Sicherer Schnitt. Produkt ohne Silizium
	XP P 05-010 Normativa francesa PN 24 Normative française PN 24 Normativa francese PN 24 French Normative PN 24 Französische Normative PN 24		Resistente al choque térmico Résistant au choc thermique Resistente allo shock termico Resistant to thermal shock Resistent gegen Temperaturschock		Resistente a impactos Résistant aux impacts Resistente agli urti Impact resistant Schlagfest
	ISO 22196:2011 Certificado antibacteriano Certificat antibactérien Certificato antibatterico Antibacterial cerificate Zertifikat zur antibakteriellen Wirksamkeit		UNE-EN 14527:2016 + A1:2019 Clase 1 Classe 1 Classe 1 Class 1 Klasse 1		Resistente a la hidrólisis. 0% poliéster ortoftálico Résistant à l'hydrolyse. 0% polyester orthoftálico Resistente all'idrolisi. 0% poliestere orto-ftalico Hydrolysis resistant. 0% ortoftal-polyester Resistent gegen hydrolyse. 0% ortoftal-polyester