




Halo

Z E R O


Standard



Naturally Made



Season




Ral/NCS




Dimensiones • Dimensions • Misure • Sizes • Abmessungen (cm)


70 x




80 x



90 x



100 x



Tapa • Cache bonde • Copripiletta • Cover • Abdeckung

Akron

Desagües • Bondes • Scarichi • Traps • Abläufe (cm)

Desagüe line estándar

Bonde line standard

Scarico line standard

Line standard trap

Standard line Ablauf

Zócalo de elevación • Habillage • Zoccoli • Skirt • Socket

Zero

9 x 60 - 220 cm

Textura • Texture • Finiture • Texture • Oberfläche

Zero

Dimensiones • Dimensions • Misure • Sizes • Abmessungen

A (cm)	B (cm)	C (cm)	D (cm)	E (cm)
100	70/80	4,4	20	4
100	90	4,4	20	5
120	70/80	4,4	20	4
120	90/100	4,4	20	5
140	70/80	4,4	20	4
140	90/100	4,4	20	5
160	70/80	4,4	20	4
160	90/100	4,4	20	5
180	70/80	4,4	20	4
180	90/100	4,4	20	5
200	70/80	4,4	20	4
200	90/100	4,4	20	5

Corte a medida • Découpe sur mesure • Taglio su misura • Bespoke cut • Fertigung nach Maß



UNE- EN 16165:2022 Anexo A • Annexe A •
Allegato A • Annex A • Anhang A

Antideslizamiento Clase C
Antidérapant Classe C
Antiscivolo Classe C
Antislip Class C
Rutschfestigkeit Klasse C



Facilidad de corte
Facile à découper
Facilità di taglio
Easy to cut
Einfach zu schneiden



Corte seguro. Material sin sílice
Découpe sûre-matériau sans silice
Taglio sicuro. Materiale senza silice
Safe cut. Material without silica
Sicherer Schnitt. Produkt ohne Silizium



XP P 05-010

Normativa francesa PN 24
Normative française PN 24
Normativa francese PN 24
French Normative PN 24
Französische Normative PN 24



Resistente al choque térmico
Résistant au choc thermique
Resistente allo shock termico
Resistant to thermal shock
Resistent gegen Temperaturschock



Resistente a impactos
Résistant aux impacts
Resistente agli urti
Impact resistant
Schlagfest



ISO 22196:2011

Certificado antibacteriano
Certificat antibactérien
Certificato antibatterico
Antibacterial certificate
Zertifikat zur antibakteriellen
Wirksamkeit



UNE-EN 14527:2016 + A1:2019

Clase 1
Classe 1
Classe 1
Class 1
Klasse 1



Resistente a la hidrólisis. 0% poliéster ortoftálico
Résistant à l'hydrolyse. 0% polyester ortho-phthalico
Resistente all'idrolisi. 0% poliestere orto-ftalico
Hydrolysis resistant. 0% ortho-phthalic polyester
Resistent gegen hydrolyse. 0% ortho-phthalic polyester