




Livo

S L A T E


Standard



Naturally Made



Season




Ral/NCS




Dimensiones • Dimensions • Misure • Sizes • Abmessungen (cm)


80 x



90 x



100 x



NOTA: Las medidas máximas pueden variar entre $\pm 0,5\%$ en largo y ancho. / NOTE: Les dimensions maximales peuvent varier aprox. $\pm 0,5\%$. / NOTA: Nei prodotti Akron le dimensioni massime possono variare di $\pm 0,5\%$ in lunghezza e larghezza. / NOTE: The maximum dimensions of Akron products can vary by $\pm 0,5\%$ in length and width. / HINWEIS: Bei Akron-Produkten können die maximalen Abmessungen in Länge und Breite um $\pm 0,5\%$ variieren.

Rejillas • Grille • Griglia • Grids • Abdeckung

Inox







Negro






** Incluido un solo modelo de rejilla por plato de ducha.*
** N'est inclus qu'un seul modèle de grille par receveur de douche.*
** Only one model of grid per shower tray is included.*
** Compreso un solo modello di griglia per piatto doccia.*
** Pro Duschwanne ist nur ein Abdeckungsmodell enthalten.*

Desagües • Bondes • Scarichi • Traps • Abläufe (cm)


	ES FR IT GE	Desagüe estándar Bonde standard Scarico standard Standard trap Standard Ablauf	
	ENG		
		Desagüe vertical Bonde de sortie verticale Scarico vertical Vertical trap Ablauf mit senkrechtem Ausgang	
		Desagüe extraplano Bonde extraplate Scarico extradottili Extraflat trap Extrafacher Ablauf mit waagrechtem Ausgang	
		Desagüe gran caudal Bonde de haut débit Scarico alta portata High flow trap Ablauf für großen Durchfluss mit waagrechtem Ausgang	

** Incluido un solo modelo de desagüe por plato de ducha. / N'est inclus qu'un seul modèle de bonde par receveur de douche. / Only one model of trap per shower tray is included. / Compreso un solo modello di scarico per piatto doccia. / Pro Duschwanne ist nur ein Ablaufmodell enthalten.*


Moldura • Rebord • Bordi • Frame • Duschwannenrand

	Slate	4,1 x 5 cm	
---	-------	------------	---


Zócalo de elevación • Habillage • Zoccoli • Skirt • Socket

	Slate	9 x 60 - 220 cm	
---	-------	-----------------	---

Textura • Texture • Finiture • Texture • Oberfläche



A (cm)	B (cm)	C (cm)
100	80/90/100	20
120	80/90/100	20
140	80/90/100	20
160	80/90/100	20
180	80/90/100	35
200	80/90/100	35



UNE - EN 16165:2022 Anexo A • Annexe A •
Allegato A • Annex A • Anhang A

Antideslizamiento Clase C
Antidérapant Classe C
Antiscivolo Classe C
Antislip Class C
Rutschfestigkeit Klasse C



Facilidad de corte
Facile à découper
Facilità di taglio
Easy to cut
Einfach zu schneiden



Corte seguro. Material sin sílice
Découpe sûre-matériau sans silice
Taglio sicuro. Materiale senza silice
Safe cut. Material without silica
Sicherer Schnitt. Produkt ohne Silizium



XP P 05-010

Normativa francesa PN 24
Normative française PN 24
Normativa francese PN 24
French Normative PN 24
Französische Normative PN 24



Resistente al choque térmico
Résistant au choc thermique
Resistente allo shock termico
Resistant to thermal shock
Resistent gegen Temperaturschock



Resistente a impactos
Résistant aux impacts
Resistente agli urti
Impact resistant
Schlagfest



ISO 22196:2011

Certificado antibacteriano
Certificat antibactérien
Certificato antibatterico
Antibacterial certificate
Zertifikat zur antibakteriellen Wirksamkeit



UNE-EN 14527:2016 + A1:2019

Clase 1
Classe 1
Classe 1
Class 1
Klasse 1



Resistente a la hidrólisis. 0% poliéster ortoftálico
Résistant à l'hydrolyse. 0% polyester ortho-ftalico
Resistente all'idrolisi. 0% poliestere orto-ftalico
Hydrolysis resistant. 0% ortho-ftal-polyester
Resistent gegen hydrolyse. 0% ortho-ftal-polyester

