




Livo

S L A T E


Standard



Naturally Made



Season




RaI/NCS




Dimensiones • Dimensions • Misure • Sizes • Abmessungen • Wymiary (cm)


80 x



90 x



100 x



Rejillas • Grille • Griglia • Grids • Abdeckung • Kratka

Inox



Negro








Akron






* Incluido un solo modelo de rejilla por plato de ducha.
* N'est inclus qu'un seul modèle de grille par receveur de douche.
* Only one model of grid per shower tray is included.
* Compreso un solo modello di griglia per piatto doccia.
* Pro Duschwanne ist nur ein Abdeckungsmodell enthalten.
* W zestawie tylko jeden model osłony syfonu do brodzika.

Desagües • Bondes • Scarichi • Traps • Abläufe • Syfony (cm)


	ES FR IT GE PO	Desagüe estándar Bonde standard Scarico standard Standard trap Standard Ablauf Odplyw standardowy	
	ENG		
		Desagüe vertical Bonde de sortie verticale Scarico vertical Vertical trap Ablauf mit senkrechtem Ausgang Odplyw pionowy	
		Desagüe extraplano Bonde extraplate Scarico extradottili Extrafiat trap Extrafacher Ablauf mit waagrechtem Ausgang Odplyw ultraplaski	
		Desagüe gran caudal Bonde de haut débit Scarico alta portata High flow trap Ablauf für großen Durchfluss mit waagrechtem Ausgang Odplyw o dużej przepustowości	

* Incluido un solo modelo de desagüe por plato de ducha. / N'est inclus qu'un seul modèle de bonde par receveur de douche. / Only one model of trap per shower tray is included. / Compreso un solo modello di scarico per piatto doccia. / Pro Duschwanne ist nur ein Abläufemodell enthalten. / W zestawie tylko jeden model odpływu na brodzik.


Moldura • Rebord • Bordi • Frame • Duschwannenrand • Listwa wykończeniowa


	Slate	4,1 x 5 cm	
---	-------	------------	---

Zócalo de elevación • Habillage • Zoccoli • Skirt • Sockel • Cokół podwyższający


	Slate	9 x 60 - 220 cm	
---	-------	-----------------	---

Textura • Texture • Finiture • Texture • Oberfläche • Struktura



	A (cm)	B (cm)	C (cm)
	100	80/90/100	20
	120	80/90/100	20
	140	80/90/100	20
	160	80/90/100	20
	180	80/90/100	35
	200	80/90/100	35

Corte a medida • Découpe sur mesure • Taglio su misura • Bespoke cut • Fertigung nach Maß • Cięcie na wymiar



Especificaciones técnicas • Spécificités techniques • Technical information • Specifiche tecniche • Technische spezifikationen • Specyfikacje techniczne



UNE- EN 16165:2022 Anexo A • Annexe A • Allegato A • Annex A • Anhang A • Załącznik A

Antideslizamiento Clase C
Antidérapant Classe C
Antiscivolo Classe C
Antislip Class C
Rutschfestigkeit Klasse C
Antypoślizgowość Klasa C



Facilidad de corte
Facile à découper
Facilità di taglio
Easy to cut
Einfach zu schneiden
Łatwość cięcia



Corte seguro. Material sin sílice
Découpe sûre-matériau sans silice
Taglio sicuro. Materiale senza silice
Safe cut. Material without silica
Sicherer Schnitt. Produkt ohne Silizium
Bezpieczne cięcie. Materiał bez zawartości krzemionki



XP P 05-010

Normativa francesa PN 24
Normative française PN 24
Normativa francese PN 24
French Normative PN 24
Französische Normative PN 24
Francuska norma PN24



Resistente al choque térmico
Résistant au choc thermique
Resistente allo shock termico
Resistant to thermal shock
Resistent gegen Temperaturschock
Odporność na szok termiczny



Resistente a impactos
Résistant aux impacts
Resistente agli urti
Impact resistant
Schlagfest
Odporność na uderzenia



ISO 22196:2011

Certificado antibacteriano
Certificat antibactérien
Certificato antibatterico
Antibacterial certificate
Zertifikat zur antibakteriellen Wirksamkeit
Certyfikat antybakteryjny



UNE-EN 14527:2016 + A1:2019

Clase 1
Classe 1
Classe 1
Class 1
Klasse 1
Klasa 1



Resistente a la hidrólisis. 0% poliéster ortoftálico
Résistant à l'hydrolyse. 0% polyester orthoftálico
Resistente all'idrolisi. 0% poliester ortoftálico
Hydrolysis resistant. 0% orthoftal-polyester
Resistent gegen hydrolyse. 0% orthoftal-polyester
Odporność na hydrolizę. 0% poliesteru ortoftalowego

